

AERONAUTICAL INFORMATION PUBLICATION

CAYMAN ISLANDS

AIP

AERONAUTICAL INFORMATION PUBLICATION

CAYMAN ISLANDS

SECOND EDITION – 2001

CONSULT NOTAM FOR LATEST INFORMATION

AERONAUTICAL INFORMATION SERVICE CIVIL AVIATION AUTHORITY OF THE CAYMAN ISLANDS

AIP AERONAUTICAL INFORMATION PUBLICATION CAYMAN ISLANDS

PART 1 GENERAL (GEN)

PART 1-GENERAL (GEN)

GEN 0.

GEN 0.1 PREFACE

1. Publishing authority

The Civil Aviation Authority of the Cayman Islands has a statutory obligation to ensure that aeronautical information services are provided in the Cayman Islands. The Cayman Islands Airports Authority has been delegated authority by the CAA to provide AIS within the Cayman Islands area of responsibility.

2. Applicable ICAO documents

The AIP is prepared in accordance with the Standards and Recommended Practices (SARPS) of Annex 15 to the Convention on International Civil Aviation and the *Aeronautical Information Services Manual* (ICAO Doc 8126). Charts contained in the AIP are produced in accordance with Annex 4 to the Convention on International Civil Aviation and the *Aeronautical Chart Manual* (ICAO Doc 8697). Differences from ICAO Standards, Recommended Practices and Procedures are given in subsection GEN 1.7.

3. The AIP structure and established regular amendment interval

3.1 The AIP structure

The AIP forms part of the Integrated Aeronautical Information Package, details of which are given in subsection GEN 3.1. The principle AIP structure is shown in graphic form on page GEN 0.1-4.

The AIP is made up of three parts, General (GEN), En-route (ENR) and Aerodromes (AD), each divided into sections and subsections as applicable, containing various types of information subjects.

3.1.1 Part 1 - General (GEN)

Part 1 consists of five sections containing information as briefly described hereafter.

- GEN 0. Preface; Record of AIP Amendments; Record of AIP Supplements; Checklist of AIP pages; List of hand amendments to the AIP; and the Table of Contents to Part 1.
- GEN 1. National regulations and requirements Designated authorities; Entry, transit and departure of aircraft; Entry, transit and departure of passengers and crew; Entry, transit and departure of cargo; Aircraft instruments, equipment and flight documents; Summary of national regulations and international agreements/conventions; and Differences from ICAO Standards, Recommended Practices and Procedures.
- GEN 2. *Tables and codes* Measuring system, aircraft markings, holidays: Abbreviations used in AIS publications; Chart symbols; Location indicators; List of radio navigation aids; Conversion tables; and Sunrise/Sunset tables.
- GEN 3. Services Aeronautical information services; Aeronautical charts; Air traffic services; Communication services; Meteorological services; and Search and rescue.
- GEN 4. Charges for aerodromes and air navigation services Aerodrome charges; and Air navigation services charges.

3.1.2 Part 2 - En-route (ENR)

Part 2 consist of seven sections containing information as briefly described hereafter.

- ENR 0. Preface; Record of AIP Amendments; Record of AIP Supplements; Checklist of AIP pages; List of hand amendments to the AIP; and the Table of Contents to Part 2.
- ENR 1. General rules and procedures General rules; Visual flight rules; Instrument flight rules; ATS airspace classification; Holding, approach and departure procedures; Radar services and procedures; Altimeter setting procedures; Regional supplementary procedures; Air traffic flow management; Flight planning; Addressing of flight plan messages; Interception of civil aircraft; Unlawful interference; and Air traffic incidents.
- ENR 2 . Air traffic services airspace Detailed description of Terminal control areas (TMA); and Other regulated airspace.
- ENR 3. ATS routes Detailed description of Lower ATS routes; Area navigation routes; Helicopter routes; and En-route holding.
 - Note.- Other types of routes which are specified in connection with procedures for traffic to and from aerodromes/heliports are described in the relevant sections and subsections of Part 3 Aerodromes.
- ENR 4. Radio navigation aids/systems Radio navigation aids en-route; Special navigation systems; Name-code designators for significant points; and Aeronautical ground lights en-route.
- ENR 5. Navigation warnings Prohibited, restricted and danger areas; Military exercise and training areas; Other activities of a dangerous nature; Air navigation obstacles en-route; Aerial sporting and recreational activities; and Bird migration and areas with sensitive fauna.
- ENR 6. En-route charts En-route Chart ICAO and index charts.
- 3.1.3 Part 3 Aerodromes (AD)

Part 3 consists of three sections containing information as briefly described hereafter.

- AD 0. -Preface; Record of AIP Amendments; Record of AIP Supplements; Checklist of AIP pages; List of hand amendments to the AIP; and the table of contents to Part 3.
- AD 1. Aerodromes Introduction Aerodrome/heliport availability; Rescue and fire fighting services; Index to aerodromes and heliports; and Grouping of aerodromes.
- AD 2. Aerodromes Detailed information about aerodromes, including helicopter landing areas, if located at the aerodromes, listed under 24 subsections.
- 3.1 Regular amendment interval

Regular amendments to the AIP will be issued once every three months. The publication dates will be on the first day of February, May, August and November of each year.

4. Service to contact in case of detected AIP errors or omissions

AIP – CAYMAN ISLANDS GEN 0.1-3

In the compilation of the AIP care has been taken to ensure that the information contained therein is accurate and complete. Any errors and omissions which may nevertheless be detected, as well as any correspondence concerning the Integrated Aeronautical Information Package, should be referred to:


Aeronautical Information Service Manager Cayman Islands Airports Authority P.O. Box 10098 Grand Cayman KY1-1001 Cayman Islands

TEL: 345 943 7070 FAX: 345 943 7071 EXT: 244-5861

EMAIL: tyrone.persaud@caymanairports.com

Website: www.caymanairports.com

AIP - CAYMAN ISLANDS GEN 0.1-4



AIP - CAYMAN ISLANDS GEN 0.2-1

GEN 0.2 RECORD OF AIP AMENDMENTS

AIP AMENDMENTS				
	Publication	Date	Inserted	
NR/Year	date	inserted	by	
01/2001	05/03/01	05/03/01	WE	
02/2001	25/06/01	25/06/01	WE	
03/2001	01/09/01	01/09/01	WE	
04/2001	27/12/01	27/12/01	WE	
05/2002	19/08/02	19/08/02	WE	
06/2003	20/02/03	20/02/03	WE	
07/2003	27/12/03	27/12/03	WE	
08/2005	17/02/05	17/02/05	WE	
09/2005	22/07/05	22/07/05	WE	
10/2006	31/01/06	31/01/06	WE	
11/2006	28/09/06	28/09/06	WE	
12/2006	26/10/06	26/10/06	WE	
13/2009	27/08/09	27/08/09	WE	
14/2010	13/01/11	13/01/11	WE	
15/2012	26/07/12	26/07/12	WE	
16/2012	15/11/12	15/11/12	WE	
17/2013	07/02/13	07/02/13	WE	
18/2013	22/08/13	22/09/13	WE	
19/2014	06/02/14	06/02/14	RMH	
20/2014	03/04/14	03/04/14	RMH	
21/2014	21/08/14	21/08/14	RMH	
22/2015	20/08/15	20/08/15	FS	
23/2015	15/10/15	15/10/15	FS	
24/2016	08/12/16	08/12/16	GP	

AIP AM	ENDMENTS		
	Publication	Date	Inserted
NR/Year	date	inserted	by
25/2017	02/03/17	31/03/17	GP
26/2017	31/03/17	26/05/17	GP
27/2017	07/12/17	04/01/18	GP
01/2018	01/02/18	07/03/18	GP
02/2018	26/04/18	30/08/18	GP
01/2019	28/02/19	28/03/19	GP
01/2020	28/03/20	23/04/20	GP
02/2020	09/09/20	08/10/20	GP
03/2020	08/11/20	02/12/20	GP
01/2021	31/12/20	28/01/21	GP
02/2021	25/02/21	25/03/21	GP
03/2021	15/07/21	09/09/21	GP
01/2022	27/01/2022	24/02/22	GP
02/2022	24/03/2022	21/04/22	GP
03/2022	22/06/2022	11/08/22	GP
01/2023	16/04/2023	18/05/2023	GP
01/2024	03/10/2024	28/11/2024	GP

AIP - CAYMAN ISLANDS GEN 0.2-2

NR/Year	Publication		Inserted
	date	Effective date	by
			-

AIP - CAYMAN ISLANDS GEN 0.3-1

INTENTIONALLY LEFT BLANK

CHECKLIST OF PAGES

PART 1	GENERAL (GEN)	PART 1	GENERAL (GEN)	PART 2	- EN-ROUTE(ENR)
GEN 0		GEN 2 (CONTINUED)	ENR 0	·
Page	Date	Page	Date	Page	Date
0.1-1	28 FEB 06	2.3-1	27 AUG 09	0.6-1	01 JAN 01
0.1-2	28 FEB 06	2.3-2	27 AUG 09	0.6-2	01 JAN 01
0.1-3	28 NOV 2024	2.3-3	27 AUG 09	0.6-3	01 JAN 01
0.1-4	01 JAN 01	2.3-4	27 AUG 09	ENR 1	
0.2-1	28 NOV 2024	2.3-5	27 AUG 09	1.1-1	01 JAN 01
0.2-2	26 MAY 17	2.3-6	27 AUG 09	1.2-1	01 JAN 01
0.3-1	12 NOV 15	2.3-7	27 AUG 09	1.2-2	01 JAN 01
0.4-1	28 NOV 2024	2.4-1	28 JAN 2021	1.3-1	01 JAN 01
0.4-2	28 MAY 2024	2.5-1	09 SEPT 2021	1.3-2	01 JAN 01
0.4-3	02 DEC 2020	2.6-1	01 JAN 01	1.4-1	01 JAN 01
0.5-1	01 JAN 01	2.6-2	01 JAN 01	1.4-2	01 JAN 01
0.6-1	01 JAN 01	2.7-1	23 APR 2020	1.5-1	06 FEB 14
0.6-2	01 JAN 01	GEN 3		1.6-1	01 JAN 01
0.6-3	01 JAN 01	3.1-1	28 NOV 2024	1.7-1	01 JAN 01
0.6-4	01 JAN 01	3.1-2	28 JAN 2021	1.7-2	01 JAN 01
GEN 1		3.1-3	28 JAN 2021	1.7-3	01 JAN 01
1.1-1	25 MAR 2021	3.1-4	28 NOV 2024	1.8-1	01 JAN 01
1.1-2	04 JAN 18	3.1-5	09 SEPT 2021	1.9-1	01 JAN 01
1.2-1	25 MAR 2021	3.2-1	21 APR 2022	1.10-1	25 MAR 2021
1.2-2	18 MAY 2023	3.2-2	28 JAN 2021	1.10-2	25 MAR 2021
1.2-3	28 NOV 2024	3.2-3	20 AUG 15	1.10-3	28 JAN 2021
1.3-1	28 FEB 06	3.2-4	21 APR 2022	1.10-4	01 JAN 01
1.3-2	01 JAN 01	3.2-5	01 JAN 01	1.11-1	25 MAR 2021
1.4-1	04 JAN 18	3.3-1	28 NOV 2024	1.11-2	20 AUG 15
1.5-1	08 OCT 2020	3.3-2	28 NOV 2024	1.12-1	01 JAN 01
1.6-1	25 MAR 2021	3.4-1	28 NOV 2024	1.12-2	01 JAN 01
1.6-2	24 FEB 2022	3.4-2	01 JAN 01	1.12-3	01 JAN 01
1.6-3	25 MAR 2021	3.5-1	28 MAR 19	1.12-4	01 JAN 01
1.6-4	25 MAR 2021	3.5-2	06 FEB 14	1.13-1	01 JAN 01
1.7-1	23 APR 2020	3.5-3	06 FEB 14	1.14-1	01 JAN 01
1.7-2	23 APR 2020	3.6-1	02 DEC 2020	1.14-2	01 JAN 01
1.7-3	23 APR 2020	3.6-2	02 DEC 2020	1.14-3	01 JAN 01
1.7-4	23 APR 2020	3.6-3	02 DEC 2020	1.14-4	01 JAN 01
1.8-1	04 JAN 18	3.6-4	21 AUG 14	1.14-5	01 JAN 01
GEN 2		3.6-5	21 AUG 14	1.14-6	01 JAN 01
2.1-1	27 AUG 09	3.6-6	21 AUG 14	1.14-7	01 JAN 01
	28 NOV 2024	GEN 4		1.14-8	01 JAN 01
	28 NOV 2024	4.1-1	08 OCT 2020	ENR 2	
	28 NOV 2024	4.1-2	28 NOV 2024	2.1-1	15 NOV 12
	28 NOV 2024	4.1-3	28 NOV 2024	2.1-2	15 NOV 12
	28 NOV 2024	4.1-4	06 FEB 14	2.2-1	01 JAN 01
2.2-5	28 NOV 2024	4.2-1	08 DEC 16	ENR 3	
2.2-6	01 JAN 01	4.2-2	08 DEC 16	3.1-1	28 NOV 2024
2.2-7	01 MAR 18			3.1-2	28 NOV 2024
2.2-8	01 JAN 01				

PART 2-ENROUTE (ENR)	PART 3 – AERODROMES (AD)	PART 3 AERODROMES (AD)
ENR 3 (CONTINUED)	AD 0	AD 2 (CONTINUED)
Page Date	Page Date	Page Date
3.1-3 28 NOV 2024	0.6-1 15 NOV 12	AD2-25 15NOV 12
3.1-4 28 NOV 2024	0.6-2 01 JAN 01	AD 2-26 28 NOV 2024
3.2-1 28 NOV 2024	0.6-3 01 JAN 01	AD 2-27 28 NOV 2024
3.3-1 28 NOV 2024	AD 1	AD 2-28 28 NOV 2024
3.4-1 28 NOV 2024	1.1-1 08 OCT 20	AD 2-29 28 NOV 2024
3.4-2 01 JAN 01	1.1-2 06 FEB 14	AD 2-30 28 NOV 2024
3.5-1 09 SEPT 2021	1.2-1 04 JAN 18	AD 2-31 28 NOV 2024
ENR 4	1.3-1 15 NOV 12	AD 2-32 28 NOV 2024
4.1-1 09 SEPT 2021	1.3-2 01 JAN 01	AD 2-33 25 MAR 2021
4.2-1 01 JAN 01	1.3-3 01 JAN 01	AD 2-34 13 JAN 11
4.3-1 06 FEB 2014	AD 2	AD 2-35 01 JAN 01
4.4-1 01 JAN 01	AD 2-1 28 NOV 2024	AD 2-36 28 FEB 06
ENR 5	AD 2-2 28 NOV 2024	AD 2-37 01 JAN 01
5.1-1 01 JAN 01	AD 2-3 28 NOV 2024	AD 2-38 15 NOV 12
5.2-1 01 JAN 01	AD 2-4 28 NOV 2024	AD 2-39 01 JAN 01
5.3-1 18 MAY 2023	AD 2-5 28 NOV 2024	AD 2-40 25 MAR 2021
5.4-1 09 SEPT 2021	AD 2-6 28 NOV 2024	AD 2-41 08 DEC 2016
5.5-1 01 JAN 01	AD 2-7 25 MAR 2021	AD 2-42 28 NOV 2024
5.6-1 27 AUG 09	AD 2-8 13 JAN 11	AD 2-43 28 NOV 2024
5.6-2 27 AUG 09	AD 2-9 01 JAN 01	AD 2-44 18 MAY 2023
ENR 6	AD 2-10 01 JAN 01	AD 2-45 26 JUL 12
6.1-1 28 NOV 2024	AD 2-11 15 NOV 12	AD 2-46 26 JUL 12
6.1-2 27 AUG 09	AD 2-12 15 NOV 12	AD 2-46-2 26 JUL 12
6.2-1 01 JAN 01	AD 2-13 15 NOV 12	AD 2-47 26 JUL 12
6.3-1 01 JAN 01	AD 2-14 23 MAR 2023	AD 2-47-2 26 JUL 12
6.4-1 01 JAN 01	AD 2-15 09 SEPT 2021	AD 2-48 26 JUL 12
6.5-1 01 JAN 01	AD 2-16 28 NOV 2024	AD 2-48-2 26 JUL 12
6.6-1 01 JAN 01	AD 2-17 28 NOV 2024	AD 2-49 26 JUL 12
6.7-1 01 JAN 01	AD 2-18 09 SEPT 2021	AD 2-49-2 26 JUL 12
6.8-1 01 JAN 01	AD 2-18-2 15 NOV 12	AD 2-50 26 JUL 12
6.9-1 01 JAN 01	AD 2-19 15 NOV 12	AD 2-50-2 26 JUL 12
	AD 2-19-2 15 NOV 12	AD 2-51 26 JUL 12
	AD 2-20 15 NOV 12	AD 2-51-2 26 JUL 12
	AD 2-20-2 15 NOV 12	AD 2-52 26 JUL 12
	AD 2-21 15 NOV 12	AD 2-52-2 26 JUL 12
	AD 2-21-2 15 NOV 12	AD 2-53 26 JUL 12
	AD 2-22 15 NOV 12	AD 2-53-2 26 JUL 12
	AD 2-23 15 NOV 12	AD 2-54 26 JUL 12
	AD 2-24 15 NOV 12	AD 2-54-2 26 JUL 12
	1110 2 2T 15 NO V 12	11D 2 JT 2 20 JUL 12

PART 3 AFR	ODROMES (AD)
AD 2 (CONTI	
Page	Date
AD 2-55	26 JUL 12
AD 2-55-2	26 JUL 12
AD 2-56	26 JUL 12
AD 2-56-2	26 JUL 12
AD 2-57	26 JUL 12
AD 2-57-2	26 JUL 12
AD 2-58	26 JUL 12
AD 2-58-2	26 JUL 12
AD 2-59	08 DEC 16
AD 2-60	26 JUL 12
AD 2-60-2	26 JUL 12
AD 2-61	26 JUL 12
AD 2-61-2	26 JUL 12
AD 2-62	26 JUL 12
AD 2-62-2	26 JUL 12

AIP - CAYMAN ISLANDS GEN 0.5-1

GEN 0.5 LIST OF HAND AMENDMENTS TO THE AIP

AIP page (s) affected	Amendment text	Introduced by AIP Amendment NR

AIP - CAYMAN ISLANDS GEN 0.6-1

GEN 0.6 TABLE OF CONTENTS TO PART 1

GEN 1. NATIONAL REGULATIONS AND REQUIREMENTS	
GEN 1.1 Designated authorities.	GEN 1.1-1
GEN 1.2 Entry, transit and departure of aircraft	GEN 1.2-1
GEN 1.3 Entry, transit and departure of passengers and crew	GEN 1.3-1
GEN 1.4 Entry, transit and departure of cargo	GEN 1.4-1
GEN 1.5 Aircraft instruments, equipment and flight documents	GEN 1.5-1
GEN 1.6 Summary of national regulations and international agreements/conventions.	GEN 1.6-1
GEN 1.7 Differences from ICAO Standards, Recommended Practices and Procedure	sGEN 1.7-1
GEN 2. TABLES AND CODES	
GEN 2.1 Measuring system, aircraft markings, holidays	GEN 2.1-1
GEN 2.1.1 Units of measurement.	GEN 2.1-1
GEN 2.1.2 Time system.	GEN 2.1-1
GEN 2.1.3 Geodetic reference datum.	GEN 2.1-1
GEN 2.1.4 Aircraft nationality and registration marks	GEN 2.1-2
GEN 2.1.5 Public holidays	GEN 2.1-2
GEN 2.2 Abbreviations used in AIS publications	GEN 2.2-1
GEN 2.3 Chart symbols	GEN 2.3-1
GEN 2.4 Location indicators.	GEN 2.4-1
GEN 2.5 List of radio navigation aids.	GEN 2.5-1
GEN 2.6 Conversion tables.	GEN 2.6-1
GEN 2.7 Sunrise/Sunset tables.	GEN 2.7-1
GEN 3. SERVICES	
GEN 3.1 Aeronautical Information Services.	GEN 3.1-1
GEN 3.1.1 Responsible service.	GEN 3.1-1
GEN 3.1.2 Area of responsibility.	GEN 3.1-1

	GEN 3.1.3 Aeronautical publications.	GEN 3.1-1
	GEN 3.1.4 AIRAC System	GEN 3.1-4
	GEN 3.1.5 Pre-flight information service at aerodrome/heliports	.GEN 3.1-5
GEN 3.2	Aeronautical charts	.GEN 3.2-1
	GEN 3.2.1 Responsible service(s)	GEN 3.2-1
	GEN 3.2.2 Maintenance of charts	.GEN 3.2-1
	GEN 3.2.3 Purchase arrangements	GEN 3.2-1
	GEN 3.2.4 Aeronautical chart series available	.GEN 3.2-1
	GEN 3.2.5 List of aeronautical charts available	GEN 3.2-3
	GEN 3.2.6 Topographical charts	GEN 3.2-4
	GEN 3.2-7 Corrections to charts not contained in the AIP	GEN 3.2-5
GEN 3.3	Air traffic services	GEN 3.3-1
	GEN 3.3.1 Responsible service	GEN 3.3-1
	GEN 3.3.2 Area of responsibility	.GEN 3.3-1
	GEN 3.3.3 Types of services	GEN 3.3-1
	GEN 3.3.4 Co-ordination between the operator and ATS	.GEN 3.3-1
	GEN 3.3.5 Minimum flight altitude	.GEN 3.3-2
	GEN 3.3.6 ATS units address list	GEN 3.3-2
GEN 3.4	Communication services	GEN 3.4-1
	GEN 3.4.1 Responsible service	.GEN 3.4-1
	GEN 3.4.2 Area of responsibility	.GEN 3.4-1
	GEN 3.4.3 Types of services	GEN 3.4-1
	GEN 3.4.4 Requirements and conditions	.GEN 3.4-2
GEN 3.5	Meteorological services	.GEN 3.5-1
	GEN 3.5.1 Responsible service	GEN 3.5-1

GEN 3.5.2	P. Area of responsibility	GEN 3.5-1
GEN 3.5.3	Meteorological observations and reports	GEN 3.5-1
GEN 3.5.4	Types of services	GEN 3.5-2
GEN 3.5.5	Notification required from operators	GEN 3.5-2
GEN 3.5.6	6 Aircraft reports	GEN 3.5-3
GEN 3.6 Search and	d Rescue	GEN 3.6-1
GEN 3.6.1	Responsible service(s)	GEN 3.6-1
GEN 3.6.2	Area of responsibility	GEN 3.6-1
GEN 3.6.3	Types of service	GEN 3.6-2
GEN 3.6.4	SAR agreements	GEN 3.6-3
GEN 3.6.5	Conditions of availability	GEN 3.6-4
GEN 3.6.6	5 Procedures and signals used	GEN 3.6-5
GEN 4. CHARGE	CS FOR AERODROMES AND AIR NAVIGATION SERVICES	
GEN 4.1 Aerodrom	ne/heliport charges	GEN 4.1-1
GEN 4.1.1	Landing of aircraft	GEN 4.1-1
GEN 4.1.2	Parking, hangarage and long-term storage of aircraft	GEN 4.1-1
GEN 4.1.3	Passenger service	GEN 4.1-2
GEN 4.1.4	Security	GEN 4.1-2
GEN 4.1.5	Noise related items	GEN 4.1-2
GEN 4.1.6		
	Other	GEN 4.1-2
GEN 4.1.7	Other Exemptions and reductions	
		GEN 4.1-2
GEN 4.1.8	Exemptions and reductions	GEN 4.1-2
GEN 4.1.8 GEN 4.2 Air naviga	Exemptions and reductions	GEN 4.1-2 GEN 4.1-3 GEN 4.2-1
GEN 4.1.8 GEN 4.2 Air naviga GEN 4.2.1	Exemptions and reductions Methods of payment ation services charges	GEN 4.1-2 GEN 4.1-3 GEN 4.2-1 GEN 4.2-1
GEN 4.1.8 GEN 4.2 Air naviga GEN 4.2.1 GEN 4.2.2	Exemptions and reductions Methods of payment	GEN 4.1-2 GEN 4.1-3 GEN 4.2-1 GEN 4.2-1

AIP - CAYMAN ISLANDS GEN 1.1-1

GEN 1. NATIONAL REGULATIONS AND REQUIREMENTS

GEN 1.1 DESIGNATED AUTHORITIES

The addresses of the designated authorities concerned with facilitation of international air navigation are as follows:

1. Civil Aviation

Director General of Civil Aviation 205 Owen Roberts Drive P.O. Box 10277 Grand Cayman KY1-1003 CAYMAN ISLANDS

TEL: 345 949 7811 FAX: 345 949 0761

AFS: NIL

Email: <u>richard.smith@caacayman.com</u>
Website: <u>www.caacayman.com</u>

2. Meteorology

Director General Cayman Islands National Weather Service

P.O. Box 10022

Grand Cayman KY1-1001 CAYMAN ISLANDS

TEL: 345 945 5773 FAX: 345 946 7523 AFS: MWCRYMYX

EMAIL: john.tibbetts@gov.ky Website: www.weather.gov.ky

3. Customs & Border Control

Collector of Customs Customs Headquarters

P.O. Box 898

Grand Cayman KY1-1103 CAYMAN ISLANDS

TEL: 345 949 4579 FAX: 345 945 1573

AFS: NIL

Website: www.customs.gov.ky

4. Custom & Border Control

Chief Immigration Officer Immigration Department

P.O. Box 1098

Grand Cayman KY1-1102 CAYMAN ISLANDS TEL: 345 949 8344 FAX: 345 949 8486

AFS: NIL

Website: www.immigration.gov.ky

5. Health

Chief Executive Officer Health Services Authority

P.O. Box 915

Grand Cayman KY1-1103 CAYMAN ISLANDS

TEL: 345 949 8600 FAX: 345 949 2998

AFS: NIL

Website: www.hsa.ky

6. En-route and Aerodrome charges

Chief Executive Officer

Cayman Islands Airports Authority

P.O. Box 10098

Grand Cayman KY1-1001 CAYMAN ISLANDS

TEL: 345 943 7070 FAX: 345 943 7071 AFS: MWCRYAYX

EMAIL: albert.anderson@caymanairports.com

Website: www.caymanairports.com

7. Agricultural Health Inspection Services

Director of Agriculture
Department of Agriculture

P.O. Box 459

Grand Cayman KY1-1106 CAYMAN ISLANDS

TEL: 345 949 3090/345 946 2967

FAX: 345 945 2251

AFS: NIL

Email: ciagricultureimports@gov.ky

Website: doa.gov.ky

8. Aircraft accident investigation

Director General of Civil Aviation 205 Owen Roberts Drive

P.O. Box 10277

Grand Cayman KY1-1003 CAYMAN ISLANDS TEL: 345 949 7811 FAX: 345 949 0761

AFS: NIL

EMAIL: richard.smith@caacayman.com
Website: www.caacayman.com

osite. <u>www.caacayman.com</u>

AIP - CAYMAN ISLANDS GEN 1.1-2

INTENTIONALLY LEFT BLANK

AIP – CAYMAN ISLANDS GEN 1.2-1

GEN 1.2 ENTRY, TRANSIT AND DEPARTURE OF AIRCRAFT

1. General

- 1.1 International flights into, from or over the Cayman Islands territory shall be subject to the current Cayman Islands regulations relating to civil aviation. These regulations correspond in all essentials to the Standards and Recommended Practices contained in Annex 9 to the Convention on International Civil Aviation.
- 1.2 Aircraft flying into or departing from the Cayman Islands territory shall make their first landing at, or final departure from, an international aerodrome (see AIP Cayman Islands, AD 1.3 and AD 2).

2. Scheduled flights

2.1 General

- 2.1.1 For regular international scheduled flights operated by foreign airlines into or in transit across the Cayman Islands, the following requirements must be met:
 - a) the State of the airline must be a party to the International Air Services Transit Agreement and/or the International Air Transport Agreement. The Cayman Islands through the UK is a party to both Agreements;
 - b) the airline must be eligible to make the flights under the provisions of a bilateral or multilateral agreement to which the State of the airline and the Cayman Islands are contracting parties and must have a permit to operate into or in transit across the Cayman Islands. Applications for such permits shall be submitted to:

The Director General of Civil Aviation 205 Owen Roberts Drive P.O. Box 10277 Grand Cayman KY1-1003 CAYMAN ISLANDS

TEL: 345 949 7811 FAX: 345 949 0761

Email: permits@caacayman.com
Website: www.caacayman.com

2.2 Documentary requirements for issuance of permit

2.2.1 Details of the documents required to support an application for the grant of an operating permit for an aircraft can be found at: http://www.caacayman.com/operating-permits/scheduled-operating-permits/

Email: civil.aviation@caacayman.com
Website: www.caacayman.com

AIP – CAYMAN ISLANDS GEN 1.2-2

2.2.2 Aircraft documents required (arrival/departure)

Required by	General declaration	Passenger manifest	Cargo manifest
Immigration	1	1	Nil
Customs	1	1	1
Health	1	Nil	Nil

Notes.-

- a) One copy of the General Declaration is endorsed and returned by Customs, signifying clearance.
- b) If no passengers are embarking (disembarking) and no articles are laden (unladen), no aircraft documents except copies of the General Declaration need be submitted to the above authorities.
- c) Passengers are required to make a declaration for currency or other negotiable monetary instruments in excess of CI \$10,000,00

3. Non-scheduled flights

3.1 Procedures

- 3.1.1 If an operator intends to carry out a (series of) non-scheduled flight(s) in transit across, or making non-traffic stops in, the territory of the Cayman Islands, it is not necessary for the operator to obtain prior permission from the Director General of Civil Aviation however slot approval is required from the Cayman Islands Airport Authority via your nominated ground handler. Please refer to GEN 1.4-1 or AD 2-20 Local traffic regulations
- 3.1.2 If an operator intends to perform a (series of) non-scheduled flight(s) into the Cayman Islands for the purpose of taking on or discharging passengers, cargo or mail, it is necessary for the operator to apply to the:

Director General of Civil Aviation, 205 Owen Roberts Drive, P.O. Box 10277, Grand Cayman KY1-1003, Cayman Islands,

Tel; 1 345 949 7811, Fax: 1 345 949 0761,

Email: permits@caacayman.com

For permission to carry out such operations not less than twenty-four hours in advance of the intended landing. Slot approval is also required from the Cayman Islands Airport authority via your nominated ground handler. Please refer to GEN 1.4-1 or AD 2-20 Local traffic regulations.

3.2 Documentary requirements for issuance of permit

3.2.1 Details of the documents required to support an application for the grant of an operating permit for an aircraft can be found at: http://www.caacayman.com/operating-permits/non-scheduled-operating-permits/

Email: civil.aviation@caacayman.com
Website: www.caacayman.com

- 3.2.2 Fees for operating permits will be invoiced by and are payable to the CAACI separate and apart from airport charges.
- 3.2.3 Subsequent to grant of operating permit, the operator should contact the Cayman Islands Airports Authority to obtain approval for landing times.

18 MAY 2023 AMDT 01/23 AIP – CAYMAN ISLANDS GEN 1.2-3

3.2 Documentary requirements for clearance of aircraft

3.2.1 Same requirements as for scheduled flights.

4. Private flights

4.1 Advance notification of arrival

All flights with the exception of local based general aviation aircraft operating at Owen Roberts International Airport require slot approval. Non-scheduled operators can submit slots through their nominated handling agent.

- 4.1.1 Aircraft operators are required to have made prior arrangements for ground handling with a service provider based at Owen Roberts International airport. This includes diversion events, however nothing in this procedure shall prevent an aircraft that has declared an emergency from landing.
- 4.1.2 Out of hours operations are restricted to Medevacs and delayed commercial air transport operators up to 23:59 LST and have a mandatory requirement to obtain prior approval before operation from aocc@caymanairports.com
- 4.1.3 All flights must have an approved flight plan.
- 4.1.4 Advance notification of arrival MWCB. Aircraft wishing to operate at Charles Kirkconnell International Airport must have prior approval from the Airport Manager before operation. Please email Joshua.burke@caymanairports.com, AOCC@caymanairports.com, and CKIAOps@caymanairports.com for flight approvals.

4.2 Documentary requirements for clearance of aircraft

4.2.1 No documents, in addition to those mentioned under 2.2.2 above, are required in the case of an aircraft remaining within the Cayman Islands for less than 30 days.

5. Public health measures applied to aircraft

- 5.1 No public health measures are required to be carried out in respect of aircraft entering the Cayman Islands, with the exception of passengers who are coming directly from an area infected with cholera, yellow fever or smallpox; they are required to present vaccination certificates.
- 5.2 Aircraft arriving from outside the Cayman Islands may land at any international aerodrome in the Cayman Islands provided that the aircraft has been disinsection approximately thirty minutes before arrival at the aerodrome. This action must be properly recorded in the Health Section of the General Declaration. If spraying of the aircraft is to be carried out on the ground, passengers and crew are permitted to disembark beforehand.

AIP - CAYMAN ISLANDS GEN 1.3-1

GEN 1.3 ENTRY, TRANSIT AND DEPARTURE OF PASSENGERS AND CREW

1. Customs requirements

1.1 Baggage or articles belonging to disembarking passengers and crew are immediately released except for those selected for inspection by the customs authorities.

1.2 No customs formalities are normally required on departure.

2. Immigration requirements

- 2.1 No documents or visas are required of passengers arriving and departing on the same through flight or transferring to another flight at the same airport.
- 2.2 A person entering the Cayman Islands for the purpose of immigration must hold a valid passport and an immigration visa, the latter being issued at British consulates abroad. Temporary visitors must be in possession of a valid passport, with the exception of the following nationals from whom existing official documents of identity, such as expired passports, national registration cards or alien resident permits, are acceptable in lieu of a valid passport:
 - a) United States;
 - b) Canada.

No entrance visas are required from temporary visitors, with the exception of the nationals of the following States:

a) Albania;	j) Hungary;
b) Bulgaria;	k) Jamaica;
c) China;	l) Nigeria;
d) Colombia;	m) North Korea
e) Cuba;	n) Peru;
f) Czechoslovakia;	o) Poland;
g) El Salvador;	p) Romania;
h) Honduras;	q) Taiwan;
i) Guatemala;	r) Vietnam.

2.3 For flight crew members on scheduled services who keep possession of their licenses when embarking and disembarking, remain at the airport where the aircraft has stopped or within the confines of the cities adjacent thereto, and depart on the same aircraft or on there next regularly scheduled flight out of the Cayman Islands, the crew member license or certificate is accepted in lieu of a passport or visa for temporary admission into the Cayman Islands. This provision is also applicable if the crewmember enters the Cayman Islands by other means of transport for the purpose of joining an aircraft.

GEN 1.3-2 AIP - CAYMAN ISLANDS

3. Public health requirements

- 3.1 Disembarking passengers are not required to present vaccination certificates except when coming directly from an area infected with cholera, yellow fever or smallpox.
- 3.2 On departure, no health formalities are required.

AIP - CAYMAN ISLANDS GEN 1.4-1

GEN 1.4 ENTRY, TRANSITAND DEPARTURE OF CARGO

1. Customs requirements concerning cargo and other articles

- 1.1 The following documents are required for the clearance of goods through customs:
 - a) suppliers invoice;
 - b) airway bill;
 - c) customs declaration form;
 - d) wholesome certificate (for meats);
 - e) sanitary certificate (for fruits and vegetables);
 - f) customs receipt; and
 - g) the authority to deliver document.

No advance notification is required but the documents must accompany the shipment.

- 1.1.1 All air cargo shipments are free of consular formalities and charges.
- 1.2 As regards air cargo simply being transshipped from one flight to another flight at the same airport under customs supervision, a completed transshipment form shall be submitted to customs.
- 1.3 No clearance documents are required with respect to goods retained on board an aircraft for on-carriage to a destination outside the Cayman Islands.
- 1.4 Upon exportation, the following documents are required for the clearance of shipments to be exported by air:
 - a) export documentation;
 - b) bill of laden; and
 - c) suppliers invoice.

2. Agricultural Requirements

2.1 Import

Import permits issued by the Department of Agriculture are required to bring plant and animal shipments into the Cayman Islands. In addition, the following should accompany the shipment:

- a) a phyto-sanitary certificate for the importation of plants and plant products,
- b) an animal health certificate for the importation animals,
- c) Sanitary/Certificate of wholesomeness for the importation of animal products-meats and seafood

AIP - CAYMAN ISLANDS GEN 1.5-1

d) Certificate is required for taxidermy treatment of miscellaneous animal products such as antlers, horns and hides/skin.

Personal allowance: A travelling passenger is allowed up to 5kgs (11lbs) of meat products and 20lbs of seafood without an import permit providing that the product does not originate from a restricted country and/or area within a country. This allowance is for personal consumption and the product MUST be retained in the original packaging from the outlet indicating proof of purchase and inspection by the authorities in the country of export.

2.2 Export:

- a) Plants and /or plant products exported from the Cayman Islands should be accompanied by a phyto-sanitary certificate issued by the Cayman Islands Department of Agriculture in accordance of the treatments and conditions required by country of import.
- b) Animals exported from the Cayman Islands must be accompanied by a Health and Export Certificate issued by Cayman Islands Department of Agriculture in addition to any other treatments and conditions required by the country of import.

Convention for International Trade in Endangered Species of Flora and Fauna (CITES)

An export or Re-Export CITIES Certification is required for the importation and exportation of plant and animal species listed in the CITES Appendices.

GEN 1.5 AIRCRAFT INSTRUMENTS, EQUIPMENT AND FLIGHT DOCUMENTS

1. General

Commercial air transport aircraft operating in the Cayman Islands must adhere to the provisions of ICAO Annex 6 – *Operation of Aircraft*, Part I – *International Commercial Air Transport* – *Aeroplanes*, Chapter 6 (Aeroplane Instruments, Equipment and Flight Documents) and Chapter 7 (Aeroplane Communication and Navigation Equipment).

The equipment list for aircraft registered in the Cayman Islands must be in accordance with the Air Navigation (Overseas Territories) Order, as amended.

2. Airborne Collision Avoidance Systems (ACAS II)

All turbine-engined aeroplanes of a maximum certificated take –off mass(TOM) in excess of 5,700kg, or authorized to carry more than 19 passengers , shall be equipped with a airborne collision avoidance system(ACAS II) in accordance with the provision of ICAO Annex 6 Part 1, ICAO Annex 10 Volume 4 and OTAR part 135.785 and 121.785.

Notwithstanding the above, such foreign registered aeroplance equipped with TCAS version 7.0 may operate within the Cayman Islands TMA provided the operator, when applying for a commercial air transport operating permit, has notified the CAACI accordingly.

GEN 1.6 SUMMARY OF NATIONAL REGULATIONS AND INTERNATIONAL AGREEMENTS/CONVENTIONS

1. The following is a list of civil aviation legislation, air navigation regulations, etc., in force in the Cayman Islands. It is essential that anyone engaged in air operations be acquainted with the relevant regulations. Copies of these documents may be obtained from the addresses listed on page GEN 3.1-1.

1.1 Air Navigation (Overseas Territories) Order, 2013

Regulations in respect of civil aviation, in general.

1.2 Aircraft Landing and Parking (Fees) Regulation

Regulations in respect of applicable, en-route, landing and parking fee charges.

1.3 Air Navigation (Fees) Regulations

Regulations in respect of civil aviation air navigation charges.

1.4 Civil Aviation Authority Law 2015 Revision

Regulations in respect of the Civil Aviation Authority mandate.

1.5 Airports Authority law 2005 Revision

Regulations in respect of the Airports Authority mandate.

1.6 International Agreements/Conventions

The articles and annexes of the Chicago Convention on International Civil Aviation.

1.7 Supplementary

The following Overseas Territories Aviation Requirements (OTAR), UKCAA Civil Aviation Publications (CAP), supplement the Air Navigation (Overseas Territories) Order, as amended, listed in 1.1 above.

AIP - CAYMAN ISLANDS GEN 1.6-2

1.6.1 Personnel Licensing

Reference	Title	Date
OTAR 61	Pilot Licenses and Ratings	Issue 5-2017
OTAR 63	Flight Engineer Licenses and Ratings	Issue 3-2012
OTAR 65	Air Traffic Service Personnel Licenses and Ratings Issu	
OTAR 66	Aircraft Maintenance Personnel Licensing Issue 6-20	
OTAR 67	Medical Standards and Recognition of Medical Examiners	Issue 4-2014
CAP 505	Objective Testing for the Professional Pilot's Licenses	Issue 6 -1997
CAP 562	Civil Aircraft Airworthiness Information and Procedures	Issue 4-2020
CAP 670	ATS Safety Requirements- Part D Human Resources (Air Traffic Control Issu	
	Licensing)	
CAP 747	Mandatory Requirements for Airworthiness	Issue 4-2021
CAP 1685	UK CAA Guidance Material for Drugs and Alcohol Policies for Air	Issue 1-2018
	Navigation Service Providers	
CAP 1686	UK CAA Guidance Material for Drugs and Alcohol Policies for Air Operator	Issue 1-2018
	Certificate Holders	

1.6.2 Aircraft Operations

Reference	Title	Date
AIP	Aeronautical Information Publication- Cayman Islands	
OTAR 1	Definitions, Abbreviations and Units of Measurements	Issue 12-2017
OTAR 13	Occurrence Reporting	Issue 5-2020
OTAR 47	Aircraft Registration and Marking	Issue 5-2019
OTAR 91	General Operating Instructions	Issue 12-2020
OTAR 92	Carriage of Dangerous Goods	Issue 5-2013
OTAR 119	Air Operator Certification	Issue 8-2015
OTAR 121	Commercial Air Transport Operations – Large Aeroplanes	Issue 12-2020
OTAR 125	Complex General Aviation Including Corporate Operations	Issue 12-2020
OTAR 135	Commercial Air Transport Operations – Helicopters and Small Aeroplanes	Issue 12-2020
CAP 371	The Avoidance of Fatigue in Aircrews	Issue 4-2004
CAP 382	Mandatory Occurrence Reporting Scheme – Information and Guidance	Issue 10-2016
CAP 403	Flying Displays and Special Events : Safety and Administrative Requirements and Guidance	Issue 02-2021
CAP 413	Radiotelephony Manual	Issue 23-2021
CAP 523	The Display of Nationality and Registration Marks on Aircraft: Guidance for Owners	Issue 8-2002
CAP 676	Guidelines for Design and Presentation of Emergency and Abnormal Checklist	Issue 3-2006
CAP 1686	UK CAA Guidance Material for Drugs and Alcohol Policies for Air Operator Certificate Holders	Issue 1-2018

AIP - CAYMAN ISLANDS GEN 1.6-3

1.6.3 Aircraft Airworthiness- Certificates and Maintenance

Reference	Title	Date
OTAR 1	Definitions, Abbreviations and Units of Measurements	Issue 12-2017
OTAR 13	Occurrence Reporting	Issue 5-2020
OTAR 21	Certification of Aircraft	Issue 8-2019
OTAR 36	Aircraft Environmental Standards	Issue 2-2006
OTAR 39	Continued Airworthiness Requirements	Issue 11-2019
OTAR 43	General Maintenance Requirements	Issue 8-2019
OTAR 145	Aircraft Maintenance Organisation Approval	Issue 8-2019
CAP 382	Mandatory Occurrence Reporting Scheme-Information and Guidance	Issue 10-2016
CAP 411	Light Aircraft Maintenance Schedules- Fixed Wing Aircraft	Issue 5-2005
CAP 482	BCAR Section S – Small Light Aircraft	Issue 7-2018
CAP 553	BCAR Section A- Airworthiness Procedures Where the CAA does not have	Issue 8-2017
	Primary Responsibility for Type Approval of the Product	
CAP 554	BCAR Section A- Airworthiness Procedures Where the CAA does not have	Issue 8-2014
	Primary Responsibility for Type Approval of the Product	
CAP 562	Civil Aircraft Airworthiness Information and Procedures (CAAIP)	Issue 4-2020
CAP 1686	UK CAA Guidance Material for Drugs and Alcohol Policies for Air Operator	Issue 1-2018
	Certificate Holders	

1.6.4 Aerodromes and Air Traffic Services

Reference	Title	Date
AIP	Aeronautical Information Publication -Cayman Islands	10.0015
OTAR 1	Definitions, Abbreviations and Units of Measurements	Issue 12-2017
OTAR13	Occurrence Reporting	Issue 5-2020
OTAR 65	Air Traffic Service Personnel License, Rating and Training	Issue 6-2020
	Organization Approval	
OTAR 67	Medical Standards and Approval of Medical Examiners	Issue 4-2014
OTAR 139	Certification of Aerodromes	Issue 8-2020
OTAR 140	Rescue and Fire-Fighting Services (RFFS) Requirement	Issue 6-2020
OTAR 171	Aeronautical Telecommunications Services	Issue 5-2015
OTAR 172	Air Traffic Services Organisation Requirement	Issue 8-2019
OTAR 173	Flight Checking Organisation Approval	Issue 2-2005
OTAR 174	Meteorological Services for Aviation	Issue 2-2017
OTAR 175	Aeronautical Information Services	Issue 2-2019
OTAR 176	Instrument flight Procedures Approval	Issue 5-2012
OTAR 177	Aeronautical Charts	Issue 2-2017
CAP 168	Licensing of Aerodromes	Issue 11-2019
CAP 232	Aerodrome Survey Information	Issue 3-2008
CAP 637	Visual Aids Handbook	Issue 2-2007
CAP 642	Airside Safety Management	Issue 3-2018
CAP 670	Air Traffic Services Safety Requirements	Issue 3-2019
CAP 683	The Assessment of Runway Surface Friction Characteristics	Issue 5-2010
CAP 699	Framework for the Competence of Rescue and Fire Fighting Service	Issue 3-2017
	(RFFS) Personnel	
CAP 738	Safeguarding of aerodromes	Issue 3-2020
CAP 746	Requirements of Meteorological Observations at Aerodromes	Issue 5-2020
CAP 760	Guidance on the conduct of Hazard identification, Risk Assessment	Issue 1-2010
	and Production of Safety Cases: For Aerodrome Operators and Air	
	Traffic Services Providers	
CAP 772	Wildlife Hazard Management at Aerodromes	Issue 2-2017
CAP 793	Safe Operating Practices at Unlicensed Aerodrome	Issue 1-2010
CAP 1054	Aeronautical information Management	Issue 1-2015
CAP 1685	UK CAA Guidance Material for Drugs and Alcohol Policies for Air	Issue 1-2018
	Navigation Service Providers	
CAP 1732	Aerodrome Survey Guidance	Issue 1-2018

2. Copies of the OTARS are available online from the website: www.airsafety.areo

Copies of the CAPs are available online from the website: www.caa.co.uk/Our-Work/Publications/

AIP CAYMAN ISLANDS GEN 1.7-1

GEN 1.7 DIFFERENCES FROM ICAO STANDARDS, RECOMMENDED PRACTICES AND PROCEDURES

1. ANNEX 1 PERSONNEL LICENSING, Eleventh edition: No significant difference

2. ANNEX 2 RULES OF THE AIR. Tenth edition:

Chapter 3

3.2.3

Anti-collision light not required for aircraft of MTWA of 5,700kg or below and type certificated before 1 April 1988, or for balloons and gliders.

Chapter 4

4.6

Low flying Prohibitions:

Rule 5-(1) Subject to paragraph (2), an aircraft must comply with the low flying prohibitions in paragraph (3) unless exempted by rule 6.

(2) If an aircraft is flying in circumstance such that more than one of the low flying prohibitions applies, it must fly at the greatest height required by any of the applicable prohibitions.

(3)The low flying prohibitions are as follows-

(a) Engine Failure

An aircraft must not be flown below such height as would enable it to make an emergency landing without causing danger to persons or property on the surface in the event of an engine failure.

(b)The 500 feet rule

Except with the written permission of the Governor, an aircraft must not be flown closer than 500 feet to any person, vessel, vehicle or structure.

(c) The 1,000 feet rule

Except with the written permission of the Governor, an aircraft flying over a congested area of a city, town or settlement must not fly below a height of 1,000 feet above the highest fixed obstacle within a horizontal radius of 600 metres of the aircraft.

(d) The land clear rule

An aircraft flying over a congested area of a city, town or settlement must not fly below such height as would permit the aircraft to land clear of the congested area in the event of an engine failure

(e)Flying over open air assemblies

Except with the written permission of the Governor, an aircraft must not fly over an organized open-air assembly of more than 1,000 persons below whichever is the higher of the following heights-(i)1,000ft or (ii)such height as would permit the aircraft to land clear of the assembly in the event of an engine failure.

(f)Landing and taking off near open air assemblies.

An aircraft must not land or take-off within 1,000 metres of an organized, openair assembly of more than 1,000 persons except- (i) at an aerodrome, in accordance with procedures notified by the Governor; or (ii) at a landing site which is not an aerodrome, in accordance with procedures notified by the Governor and with the written permission of organizer of the assembly.

Exemptions from the low flying prohibitions

Rule 6. The exemptions from the low flying prohibitions are as follow- (a) Landing and taking off. (i)An aircraft is exempt from the low flying prohibitions when it is flying in accordance with normal aviation practice for the purpose of - (aa) taking off from, landing at or practice approaches to landing at; or (bb)checking navigational aids or procedures at, a certificated or notified aerodrome.

AIP CAYMAN ISLANDS GEN 1.7-2

GEN 1.7 DIFFERENCES FROM ICAO STANDARDS, RECOMMENDED PRACTICES AND PROCEDURES

(ii) An aircraft is exempt from the 500 feet rule when landing and taking off in accordance with normal aviation practice or air-taxiing. (b)Captive balloons and kites- None of the low flying prohibitions apply to any captive balloon or kite. (c)Special VFR flight and notified routes-(i) subject to paragraph (ii) an aircraft is exempt from the 1,000 feet rule when-(aa) it is flying on a special VFR flight; or (bb) it is operating in accordance with the procedures notified for the route being flown. (ii)Unless the written permission of the Governor has been obtained, landings may only be made by an aircraft flying under this exemption at a certificated or notified aerodrome.

(d)Balloons and helicopters over congested areas. (i) a balloon is exempt from 1,000 feet rule if it is landing because it is becalmed.(ii)Subject to rule 5(3)(a)a helicopter flying over a congested area is exempt from the land clear rule. (e)Police air operator's certificate- An aircraft flying in accordance with the terms of a police air operator's certificate is exempt from 500 feet rule, the 1,000 feet rule and the prohibitions on flying over open air assemblies and on landing and taking off near open air assemblies.

- (f)**Flying displays etc-**An aircraft taking part in a flying display is exempt from the 500 feet rule when it is with horizontal distance of 1,000metres of the gathering of persons assembled to witness the event.
- (g) Glider hill-soaring-A glider is exempt from the 500 feet rule if it is hill-soring.
- (h)**Picking up and dropping at an aerodrome-**An aircraft picking up or dropping tow ropes, banners or similar articles at an aerodrome is exempt from the 500 feet rule.
- (i) Manoeuvring helicopters-(i) Subject to paragraph (ii), a helicopter is exempt from the 500 feet rule if it is conducting manoeuvres, in accordance with normal aviation practice, within the boundaries of a certificated or military aerodrome or, with the written permission of the Governor at other sites. (ii) When flying in accordance with this exemption the helicopter must not be operated closer than 60 metres to any persons, vessels, vehicles or structures located outside the aerodrome or site.
- (j)Dropping articles with the permission of the Governor-An aircraft is exempt from the 500 feet rule in accordance with-(i)article 130(3)(f) of the Air Navigation(Overseas Territories) Order {the dropping of articles by, or with authority of, the pilot-in-command of the aircraft for the purposes of public Health or as a measure against weather conditions, surface icing or oil pollution, or for training for the dropping of articles for any such purposes, if the articles are dropped with the permission of the Governor};or (ii)an aerial application permission granted by the Governor under article 128 of the Air Navigation(Overseas Territories) Order.

Chapter 4

4.7

Aircraft in level flight above 3,000ft above mean sea level or above appropriate the transition altitude, whichever is the higher, shall be flown at a level appropriate to its magnetic track: Below 19,500ft – Quadrantal Rule, Above 19,500ft – Semicircular Rule.

Quadrantal rule and semi -circular rule

Rule 34-(1) Subject to paragraphs (2) and (3), and aircraft in level flight above 3,000 feet above mean sea level or above the appropriate transition altitude, whichever is the higher, must be flown at a level appropriate to its magnetic track in

GEN 1.7 DIFFERENCES FROM ICAO STANDARDS, RECOMMENDED PRACTICES AND PROCEDURES

accordance with Table 1 or Table 2 as appropriate. (2) For the purposes of paragraph (1), the level of flight must be measured by an altimeter set- (a) in the case of a flight over the Territory, to a pressure setting of 1013.2 hectopascals; or (b) in the case of any other flight, according to the system published by the competent authority in relation to the area over which the aircraft is flying. (3) An aircraft may be flown at a level other than the level required by paragraph (1) if it flies-(a) in conformity with instructions given by an air traffic control unit; (b) in accordance with notified en-route holding patterns; or (c) in accordance with holding procedures notified in relation to an aerodrome. (4) For the purposes of this rule "transition altitude" means the altitude which is notified in relation to flights over notified areas.

Table 1
Flights at Levels below 19,500 feet

Magnetic Track	Cruising Level
Less than 90°	Odd thousands of feet
90° but less than 180°	Odd Thousands of feet +500 feet
180°but less than 270°	Even Thousands of feet
270° but less than 360°	Even Thousands of feet +500 feet

Table 2
Flights at levels above 19,500 feet

Magnetic Track	Cruising Level
Less than 180°	21,000 feet
	23,000 feet
	25,000 feet
	27,000 feet
	29,000 feet
	31,000 feet
	33,000 feet
	35,000 feet
	37,000 feet
	39,000 feet
	41,000 feet or higher levels at intervals of 4,000 feet
180° but less than 360°	20,000 feet
	22,000 feet
	24,000 feet
	26,000 feet
	28,000 feet
	30,000 feet
	32,000 feet
	34,000 feet
	36,000 feet
	38,000 feet
	40,000 feet
	43,000 feet or higher at intervals of 4,000 feet

AIP CAYMAN ISLANDS GEN 1.7-4

GEN 1.7 DIFFERENCES FROM ICAO STANDARDS, RECOMMENDED PRACTICES AND PROCEDURES

Chapter 5

- 5.1.2- See entry for Chapter 4,4.6
- 3. ANNEX 3- METEOROLOGY- No significant difference
- 4. ANNEX 4- AERONAUTICAL CHARTS- No significant difference
- 5. **ANNEX 5** UNITS OF MEASUREMENT TO BE USED IN AIR AND GROUND OPERATIONS, Fifth edition: *No significant difference*
- 6. **ANNEX 6-** PART OPERATION OF AIRCRAFT, Eighth edition:
- 7. **ANNEX 7** AIRCRAFT NATIONALITY AND REGISTRATION MARKS, Sixth edition: No significant difference
- 8. ANNEX 8 AIRWORTHINESS OF AIRCRAFT, Eleventh edition: No significant difference
- 9. **ANNEX 9** FACILITATION, Thirteenth edition: *No significant difference*
- 10. **ANNEX 10** AERONAUTICAL TELECOMMUNICATIONS, Sixth edition: *No significant difference*
- 11. ANNEX 11- AIR TRAFFIC SERVICES, Thirteenth edition: No significant difference
- 12. **ANNEX 12** SEARCH AND RESCUE, Eighth edition: *No significant difference*
- 13. ANNEX 13- AIRCRAFT ACCIDENT AND INCIDENT INVESTIGATION, Tenth edition: No significant difference
- 14. ANNEX 14 AERODROMES, Sixth edition
- 15. **ANNEX 15** AERONAUTICAL INFORMATION SERVICES, Fourteenth edition: *No significant difference*
- 16. ANNEX 16- ENVIRONMENTAL PROTECTION, Sixth edition: No significant difference
- 17. **ANNEX 17** SECURITY SAFEGUARDING INTERNATIONAL CIVIL AVIATION AGAINST ACTS OF UNLAWFUL INTERFERENCE, Ninth edition: *No significant difference*
- 18. **ANNEX 18** THE SAFE TRANSPORT OF DANGEROUS GOODS BY AIR, Third edition: *No significant difference*
- 19. ANNEX 19- SAFETY MANAGEMENT, First edition No significant difference

INTENTIONALLY LEFT BLANK

AIP - CAYMAN ISLANDS GEN 2.1-1

GEN 2. TABLES AND CODES

GEN 2.1 MEASURING SYSTEM, AIRCRAFT MARKINGS, and HOLIDAYS

1. Units of measurement

The table of units of measurement shown below are used by aeronautical stations within the Cayman TMA for air and ground operations.

For measurement of	Units used
Distance used in navigation, position reporting, etc. –	
generally in excess of 2 nautical miles	Nautical Miles and tenths
Relatively short distances such as those relating to	
aerodromes (e.g. runway lengths)	Meters
Altitudes, elevations and heights	Feet
Horizontal speed including wind speed	Knots
Vertical speed	Feet per minute
Wind direction for landing and taking off	Degrees Magnetic
Wind direction except for landing and take off	Degrees True
Visibility including runway visual range	Kilometers or meters
Altimeter setting	Hectopascal/Inches
Temperature	Degrees Celsius/Fahrenheit
Weight	Metric tons or Kilograms
Time	Hours and minutes, beginning at midnight
	UTC

2. Time system

General

Coordinated Universal Time (UTC) is used by air navigation services and in publications issued by the Aeronautical Information Service. Reporting of time is expressed to the nearest minute, e.g. 12:40:35 is reported as 1241. Local time in the Cayman Islands is UTC minus five (5) hours.

3. Geodetic reference datum

3.1 Name/designation of datum

All published geographical coordinates indicating latitude and longitude are expressed in terms of the World Geodetic System – 1984 (WGS-84) geodetic reference datum.

3.2 Area of application

The area of application for the published geographical coordinates coincides with the area of responsibility of the Aeronautical Information Service, i.e. the entire territory of the Cayman Islands as well as the airspace over the high seas encompassed by the Cayman Islands TMA in accordance with the regional air navigation agreement.

3.3 Use of an asterisk to identify published geographical coordinates

An asterisk (*) will be used to identify those published geographical coordinates which have been transformed into WGS-84 coordinates but whose accuracy of original field work does not meet the requirements in ICAO Annex

11, Chapter 2 and ICAO Annex 14, Volume I and II, Chapter 2. Specifications for determination and reporting of WGS-84 coordinates are given in ICAO Annex 11, Chapter 2 and in ICAO Annex 14, Volumes I and II, Chapter 2.

4. Aircraft nationality and registration marks

The nationality mark for aircraft registered in the Cayman Islands are the letters VP-C. The nationality mark is followed by a registration mark consisting of 2 letters, e.g. VP-CAA.

5. Public holidays 2024

Date	Holiday
Monday, 1 January	New Year's Day
Monday, 22 January	National Heroes' Day
Wednesday, 14 February	Ash Wednesday
Friday, 29 March	Good Friday
Monday, 1 April	Easter Monday
Monday, 6 May	Emancipation Day
Monday, 20 May	Discovery Day
Monday, 17 June	HM King Charles Birthday
Monday, 1 July	Constitution Day
Monday, 11 November	Remembrance Day

Christmas Day

Boxing Day

Note.— Some administrative services may not be available and banks and other institutions may not be open during public holidays.

CIVIL AVIATION AUTHORITY

Wednesday, 25 December

Thursday, 26 December

AIP - CAYMAN ISLANDS GEN 2.2-1

GEN 2.2 ABBREVIATIONS USED IN AIS PUBLICATIONS

A

A	Amber
AAA	(or AAB, AAC etc., in sequence) Amended meteorological message (message type designator)
A/A	Air-to-air
AAL	Above aerodrome level
ABM	Abeam
ABN	Aerodrome beacon
ABT	About
ABV	Above
ACAR	Altocumulus
ACAR	
ACAS ACC	Airbome collision avoidance system
	Area control center or area control
ACCIE	
ACFT ACK	Aircraft Askrayladas
ACK ACL	Acknowledge Altimater sheek location
ACR	Altimeter check location Aircraft classification rating
ACK AD	Aircrait classification rating Aerodrome
ADA	Advisory area
ADA	Automatic direction-finding equipment
AFIS	Action and confection in the information service
AFS	Aeronautical fixed service
AFTN	Aeronautical fixed telecommunication network
A/G	Air-to-ground
AGA	Aerodromes, air routes and ground aids
AGL	Above ground level
AIC	Aeronautical information circular
AIP	Aeronautical information publication
AIS	Aeronautical information services
ALS	Approach lighting system
ALT	Altitude
AP	Airport
APP	Approach control office <i>or</i> approach control <i>or</i> approach control service
APR	April
AS	Altostratus
ATA	Actual time of arrival
ATC	Air traffic control
ATD	Actual time of departure
ATFM	Air traffic flow management
ATIS	Automatic terminal information service
ATM	Air traffic management
ATS	Air traffic service
ATTN	Attention
ATZ	Aerodrome traffic zone
AUG	August
AUTH	
AUX	Auxiliary
AVGA	- · · · · · · · · · · · · · · · · · · ·
AWY	Airway
В	
В В	Dho
BA	Blue Braking action
BA BCN	Braking action Beacon
BCST	Broadcast
BDRY	Boundary
BLDG	Building
BLW	Below
DL 11	Boot

Bearing

BRG

GEN 2.2-2 AIP - CAYMAN ISLANDS

OLIV 2.2	-2	AII	- CATIVIT
BTN	Between		
C			
C CAT	Degrees Celsius (Centigrade)		
CH	Category Channel		
CHG	Change or Changed		
CINWS	Cayman Islands National Weather Service		
CAA	Civil Aviation Authority		
CLSD	Closed		
CM	Centimeter		
CNL COM	Cancel or cancelled Communications		
CONC	Concrete		
COP	Change over point		
COR	Correct, corrected or correction		
CTA	Control area		
CTR	Control zone		
CUST CWY	Customs Clearway		
0111	osea naj		
D			
D	Danger area		
DB	Decibel		
DCT	Direct		
DEC	December		
DEG	Degrees		
DEP DEST	Depart or Departure Destination		
DIST	Distance		
DME	Distance measuring equipment		
DST	Daylight saving time		
DTG	Date-time group		
DTHR DUR	Displaced threshold Duration		
DVOR	Doppler VOR		
2,010	2 Spp. M. Volk		
E			
Е	East or eastern longitude		
EAT	Expected approach time		
EB	Eastbound		
ELEV	Elevation		
ELT	Emergency locator transmitter		
EMERG ENE	Emergency East north east		
EOBT	Estimated of f-block time		
EQPT	Equipment		
ESE	East south east		
EST	Estimate Estimate disconnection of animal		
ETA ETD	Estimated time of arrival Estimated time of departure		
	Estimated and of departure		
F			
F	Fixed		
FAC	Facilities		
FAF	Final approach fix		
FAP	Final approach point		
FATO	Final approach and take-off area		
FAX	Facsimile transmission		
FCST FEB	Forecast February		
FIC	Flight information center		

FIC FIR FIS Flight information center Flight information region

Flight information service

_		
	FISA	Automated flight information service
	FL	Flight level
	FLD	Field
	FLT	Flight
	FLTCK	Flight check
	FMU	Flow management unit
	FNA	Final approach
	FPL	Filed flight plan
	FPM	Feet per minute
	FPR	Flight plan route
	FR	Fuel remaining
	FREQ	Frequency
	FRI	Friday
	FSL	Fuel stop landing
	FSS	Flight service station
	G	
	G	
	G	Green
	G/A	Ground-to-air
	G/A/G	Ground-to-air and air-to-ground
	GBAS	Ground-based augmentation system
	GCA	Ground controlled approach
	GEN	General
	GEO	Geographic or true
	GES	Ground earth station
	GLD	Glider
	GND	Ground
	GNDCK	Ground check
	GNSS	Global navigation satellite system
	GP	Glide path
	GRASS	Grass landing area
	GS	Ground speed
	Н	
	H24	Continuous day and night service
	HAPI	Helicopter approach path indicator
	HBN	Hazard beacon
	HDF	High frequency direction-finding station
	HDG	Heading
	HEL	Helicopter
	HF	High frequency (3 000 to 30 000 kHz)
	HGT HJ	Height <i>or</i> height above Sunrise to sunset
	ΠJ	
	HLDG	
	HLDG HN	Holding
	HN	Holding Sunset to sunrise
	HN HOL	Holding Sunset to sunrise Holiday
	HN	Holding Sunset to sunrise Holiday Hospital aircraft
	HN HOL HOSP	Holding Sunset to sunrise Holiday
	HN HOL HOSP HPA	Holding Sunset to sunrise Holiday Hospital aircraft Hectopascal
	HN HOL HOSP HPA HR HVY	Holding Sunset to sunrise Holiday Hospital aircraft Hectopascal Hours
	HN HOL HOSP HPA HR	Holding Sunset to sunrise Holiday Hospital aircraft Hectopascal Hours
	HN HOL HOSP HPA HR HVY	Holding Sunset to sunrise Holiday Hospital aircraft Hectopascal Hours Heavy
	HN HOL HOSP HPA HR HVY I	Holding Sunset to sunrise Holiday Hospital aircraft Hectopascal Hours Heavy Instrument approach chart
	HN HOL HOSP HPA HR HVY I	Holding Sunset to sunrise Holiday Hospital aircraft Hectopascal Hours Heavy Instrument approach chart Initial approach fix
	HN HOL HOSP HPA HR HVY I	Holding Sunset to sunrise Holiday Hospital aircraft Hectopascal Hours Heavy Instrument approach chart
	HN HOL HOSP HPA HR HVY I IAC IAF IAO IAR	Holding Sunset to sunrise Holiday Hospital aircraft Hectopascal Hours Heavy Instrument approach chart Initial approach fix In and out of clouds Intersection of air routes
	HN HOL HOSP HPA HR HVY I IAC IAF IAO IAR IAS	Holding Sunset to sunrise Holiday Hospital aircraft Hectopascal Hours Heavy Instrument approach chart Initial approach fix In and out of clouds
	HN HOL HOSP HPA HR HVY I IAC IAF IAO IAR	Holding Sunset to sunrise Holiday Hospital aircraft Hectopascal Hours Heavy Instrument approach chart Initial approach fix In and out of clouds Intersection of air routes Indicated airspeed
	HN HOL HOSP HPA HR HVY I IAC IAF IAO IAR IAS IBN	Holding Sunset to sunrise Holiday Hospital aircraft Hectopascal Hours Heavy Instrument approach chart Initial approach fix In and out of clouds Intersection of air routes Indicated airspeed Identification beacon Identifier or identify Identification
	HN HOL HOSP HPA HR HVY I IAC IAF IAO IAR IAS IBN ID IDENT IF	Holding Sunset to sunrise Holiday Hospital aircraft Hectopascal Hours Heavy Instrument approach chart Initial approach fix In and out of clouds Intersection of air routes Indicated airspeed Identification beacon Identifier or identify Identification Intermediate approach fix
	HN HOL HOSP HPA HR HVY I IAC IAF IAO IAR IAS IBN ID IDENT IF IFR	Holding Sunset to sunrise Holiday Hospital aircraft Hectopascal Hours Heavy Instrument approach chart Initial approach fix In and out of clouds Intersection of air routes Indicated airspeed Identification beacon Identifier or identify Identification Intermediate approach fix Instrument flight rules
	HN HOL HOSP HPA HR HVY I IAC IAF IAO IAR IAS IBN ID IDENT IF IFR IGA	Holding Sunset to sunrise Holiday Hospital aircraft Hectopascal Hours Heavy Instrument approach chart Initial approach fix In and out of clouds Intersection of air routes Indicated airspeed Identification beacon Identifier or identify Identification Intermediate approach fix Instrument flight rules Instrument flight rules Intermational general aviation
	HN HOL HOSP HPA HR HVY I IAC IAF IAO IAR IAS IBN ID IDENT IF IFR	Holding Sunset to sunrise Holiday Hospital aircraft Hectopascal Hours Heavy Instrument approach chart Initial approach fix In and out of clouds Intersection of air routes Indicated airspeed Identification beacon Identifier or identify Identification Intermediate approach fix Instrument flight rules

neteorological conditions
neteorological conditions
•
ach
gation system
•
per hour
ance available
ance available, helicopter
ction indicator
ting
я
pir pavigation system
iii navigation system
er Whomissed alkituda
JUNOTIZECI AUTULUCE
эасп роши
nosing altitude
ossing autuac
1
action indicator acy (30 to 300 kHz) ting Idle time er air navigation system

	MIL	Military
	MIN	Minutes
	MKR	Marker radio beacon
	MLS	Microwave landing system
	MM	Middle marker
	MNM	Minimum
	MNTN	Maintain
	MOA	
		Military operating area Minimum obstacle clearance
	MOC	
	MON	Monday
	MPS	Meters per second
	MRG	Medium range
	MSA	Minimum sector altitude
	MSG	Message
	MSL	Mean sea level
	MTU	Metric units
	N	
	N	North or northern latitude
	NAT	North Atlantic
	NAV	Navigation
	NB	Northbound
	NDB	Non-directional beacon
	NE NE	North-east
	NEB	North-eastbound
	NEG	No <i>or</i> negative <i>or</i> permission not granted <i>or</i> that is not correct
	NGT	Night
	NM	Nautical miles
	NNE	North north east
	NNW	North north west
	NOF	International NOTAM office
	NOTAM	A notice containing information concerning the establishment, condition or change in any aeronautical facility, service procedure or
	NOU	hazard, the timely knowledge of which is essential to personnel concerned with flight operations
	NOV	November
	NR	Number
	NW	North-west
	NW	North-westbound
	O	
	OAC	Oceanic area control center
	OAS	Obstacle assessment surface
	OBST	Obstacle
	OCA	Obstacle clearance altitude
	OCA	Oceanic control area
	OCH	Obstacle clearance height
	OCS	Obstacle clearance surface
	OCT	October
	OFZ	Obstacle free zone
	OHD	Overhead
	OM	Outer marker
	OPR	Operator
	OPS	Operations
	_	
	P	Duckihitad ama
	P	Prohibited area
	PALS	Precision approach lighting system
	PANS	Procedures for air navigation services
	PAPI	Precision approach path indicator
	PAR	Precision approach radar
ĺ	PAX	Passenger(s)
l	PCR	Pavement classification rating
	PER	Performance
	PERM	Permanent
	PIB	Pre-flight information bulletin
	PJE	Parachute jumping exercise

PLA	Practice low approach
PLN	Flight plan
PLVL	Present level
PN	Prior notice required
POB	Persons on board
PPR	Prior permission required
PSG	Passing
PSN	Position
PTN	Procedure tum
PWR	Power
1 ,,11	
Q	
QBI	Compulsory IFR flight
QDM	Magnetic heading
QDR	Magnetic bearing
QFE	Atmospheric pressure at aerodrome elevation
QFU	Magnetic orientation of runway
QNH	Altimeter sub-scale setting to obtain elevation when on the ground
QTE	True bearing
QUAD	Quadrant
n	
R	
R	Red
R	Restricted area
RAC	Rules of the air and air traffic services
RAG	Runway arrested gear
RAI	Runway alignment indicator
RB	Rescue boat
RCA	Reach cruising attitude
RCC	Rescue co-ordination center
RCF	Radio communication center
RCH	Reach or reaching
RCL	Runway center line
RCLL	Runway center line light(s)
RCLR	Recleared
RDL	Radial
RDO	Radio
REC	Receive
REDL	Runway edge light(s)
REG	Registration
RENL	Runway end light(s)
REP	Report
REQ	Request
RIF	Reclearance in flight
RL	Report leaving
RLA	Relay to
RLCE	Request level change en-route
RMK	Remark Area povication
RNAV ROC	Area navigation Rate of climb
ROD	Rate of descent
RPL	Repetitive flight plan
RR	Report reaching
RSC	Rescue sub-center
RSCD	Runway surface condition
RTE	Route
RTF	Radio telephone
RTG	Radio telegraph
RTHL	Runway threshold light(s)
RTS	Return to service
RTZL	Runway touchdown zone light(s)
RV	Rescue vessel
RVR	Runway visual range
RWY	Runway

 \mathbf{S} S South or southern latitude SALS Simple approach lighting system SAR Search and rescue SARPS Standard and recommended practices (ICAO) SAT Saturday SATCOM Satellite communication Southbound SB SDBY Standby SE South SEB South-eastbound SEC Seconds SECT Sector SELCAL Selective calling system SEP September SFC Surface SHF Super high frequency (3 000 to 30 000 MHz) SID Standard instrument departure Sky clear SKC **SKED** Schedule Surface movement control SMC SMR Surface movement radar SPECI Aviation selected special weather report SPL Supplementary flight plan SRA Surveillance radar approach SRG Short range Search and rescue region SRR SS Sunset SSB Single side band SSE South southeast STA Straight in approach STAR Standard instrument arrival STN Station STOL Short take-off and landing STWL Stopway light(s) SUN Sunday SW South-west South-westbound SWB SWY Stopway T Temperature T TA Transition altitude TACAN UHF tactical air navigation aid TAF Aerodrome forecast TAIL Tail wind TAR Terminal area surveillance radar TAS True airspeed TDZ Touchdown zone Telephone TEL TF Traffic TGL Touch-and-go landing TGS Taxiing guidance system THR Threshold THU Thursday TKOF Take-off TMATerminal control area TNA Turn altitude TOC Top of climb TODA Take-off distance available TODAH Take-off distance available, helicopter TORA Take-off run available TP Turning point TR

Track

TRA Temporary reserved airspace TRL Transition level TUE Tuesday TVOR Terminal VOR TWR Tower TWY Taxiway TWYL Taxiway-link TYP type of aircraft \mathbf{U} UAC Upper area control center UAR Upper air route UDF Ultra high frequency direction-finding station UFN Until further notice UHDT Unable higher due traffic UHF Ultra high frequency (300 to 3 000 MHz) UIC Upper information center UIR Upper flight information region ULR Ultra long range UNA Unable UNAP Unable to approve UNL Unlimited UNREL Unreliable U/S Unserviceable UTA Upper control area UTC Co-ordinated Universal Time V VA Volcanic ash VAC Visual approach chart VAN Runway control van VAR Magnetic variation VASIS Visual approach slope indicator system VCY Vicinity VDF Very high frequency direction-finding station VER Vertical VFR Visual flight rules VHF Very high frequency (30to 300 MHz) VIP Very important person VIS Visibility VLF Very low frequency (3 to 30 kHz) VLR Very long range VMC Visual meteorological conditions VOR VHF omnidirectional radio range VORTAC VOR and TACAN combination VOT VOR airborne equipment test facility VRB Variable VSA By visual reference to the ground Vertical speed VSP VTOL Vertical take-off and landing \mathbf{W} W West or western longitude W White WAC World Aeronautical Chart ICAO 1:1 000 000 WAFC World area forecast center WB Westbound WBAR Wing bar lights WDI Wind direction indicator WED Wednesday WEF With effect from or effective from Within WI

Width

WID

WIE With immediate effect or effective immediately

Will comply Work in progress WILCO WIP WKN Weaken or weakening WNW West north west WO Without WPT Way-point Warning Wind shear WRNG WS WSPD Wind speed West south west WSW WT Weight WX Weather

 \mathbf{X}

X Cross
XBAR Crossbar
XNG Crossing
XS Atmospherics

Y

Y Yellow

YCZ Yellow caution zone

YR Your

 \mathbf{Z}

Z Coordinated Universal Time (in meteorological messages)

AIP - CAYMAN ISLANDS GEN 2.3-1

GEN 2.3 CHART SYMBOLS

TOPOGRAPHY

1	Contours	6000
2	Approximate contours	1500-2
3	Relief shown by hachures	Manager Hall
4	Bluff, cliff or escarpment	Derrestant.
5	Lava flow	E
6	Sand dunes	
7	Sand area	

8	Gravel		
•		ative	*************
9	Levee or esker	Alternative	***********
10	Unusual land features appropriately labelled		
	Active volcano		<u> </u>
11	Mountain pass).(5395

			1/2
12	Highest elevation on	ative	17456
,_	chart	Alternative	.17456
13	Spot elevation		.6397 .8975
14	Spot elevation (of doubtful accuracy)		,6370±
15	Coniferous trees		4- ₁ - 1
16	Other trees		P P P
17	Palms		でです

18 Areas not surveyed for contour information or relief data incomplete

Caution

HYDROGRAPHY

19	Shore line (reliable)		محري
20	Shore line (unreliable)		_^^
21	Tidal flats		and Conto
22	Coral reefs and ledges		Polit Ary Avada
23	Large river (perennial)		Ž
24	Small river (perennial)	7	-~~
25	Rivers and streams (non-perennial)	Alternative	
26	Rivers and streams (unsurveyed)		ملا
27	Rapids		
28	Falls		
29	Canal		

30	Abandoned canal Note.— Dry can landman			
31	Lakes (perennial)			9
			4, ternative	(事)
32	Lakes (non-perennial)			
33	Satlake			
34	Sait pans (evapora			
35	Swamp			
36	Rice field		Alternative	27/17 27/17 27/17 27/17 27/17 27/17
37	Spring, well or	perenni	al	•
ar	water hole intern		ent	0

38	Reservoir		Reservoir	
39	Dry lake bed	Altemative	0	
40	Wash	Alternative		
41	Shoals			
42	Glaciers and ice caps	iciers and ice caps		
43	Danger line (2 m or one fathorn line)		(C)	
44	Charted isolated rock		+	
45	Rock awash	*		
46	Unusual water features appropriately labelled		(Covered Rec)	

CULTURE

BUILT-UP AREAS

47	City or large town	
48	Town	0
49	Village	0
50	Buildings	

HIGHWAYS AND ROADS

57	Dual highway	
58	Primary road	
59	Secondary road	
60	Trail	
61	Road bridge	=
62	Road tunnel	→←

MISCELLANEOUS (Cont.)

69	Pipeline	Pipeline
70	Oil or gas field	A
71	Tank farms	••••
72	Nuclear power station	*
73	Coast guard station	+
74	Lookout tower	۵
75	Mine	*
76	Forest ranger station	1
77	Race track or stadium	
78	Ruins	
79	Fort	п
80	Church	đ
81	Mosque	ğ
82	Pagoda	ţ
83	Temple	血

RAILROADS

51	Railroad (single track)	
52	Railroad (two or more tracks)	##
53	Railroad (under construction)	
54	Railroad bridge	=
55	Railroad tunnel	
56	Railroad station	+=++

MISCELLANEOUS

63	Boundaries (international)	
64	Outer boundaries	
65	Fence	xxx
66	Telegraph or telephone line (when a landmark)	-тт-
67	Dam	-(
68	Ferry	J-0-1

AERODROMES

84	Civil	Land	\Q
85	Civil	Water	4
86	Military	Land	0
87	Military	Water	(


oco	SERVICES SERVICES CONTRACTOR SERVICES	
88	Joint civil and military Land	9
89	Joint civil and military Water	(4)
90	Emergency aerodrome or aerodrome with no facilities	0
91	Abandoned or dosed aerodrome	(X)

92	Sheltered anchorage	ţ
93	Aerodrome for use on charts on which aerodrome classification is not required e.g. Enroute Charts	Φ
94	Heliport Note. — Aerodrome for the	H

Note.— Where required by the function of the chart, the runway pattern of the aerodrome may be shown in lieu of the aerodrome symbol, for example:



AIP - CAYMAN ISLANDS GEN 2.3-3



AERODROME SYMBOLS FOR APPROACH CHARTS

Aerodromes affecting the traffic pattern on the aerodrome on which the procedure is based



The aerodrome on which the procedure is based




RADIO NAVIGATION AIDS*

99	Basic radio navigation aid Note. — This symbol may be u without a box to end	used with or		0	107	Collocated VOR and TACAN radio navigation aids	VORTAC	Ø	Bectron	
100	Non-directional radio bear	con NDB		Electronic			PLAN VIEW B			
01	VHF omnidirectional radio	range VOR	0		108	Instrument landing	FRONT COURSE			
02	Distance measuring equip	oment DME]		100	system ILS	BACK COURSE			
103	Collocated VOR and DME radio navigation aids	VOR/DME Distance in kilomet	(·)				Bectronic	PROFILE Beditonic GLIDE PATH		
04	DME distance	(nautical miles) to DI Identification radio navigation	ME	15 km KAV		Radio marker beacon	Elliptical	CIDE PAIN		
05	VOR radial	Radial bearing fro and identification of, VC		90 KAV	109	Radio marker beacon	Bone Shape			
106	UHF tactical air navigation	n aid TACAN	4	₹		Note.— Marker beacon may be sh	own by outline, or stipple,	or both.		
Ì			M. O.	772			VOF		0	
10	Compass rose To be orientated on the chart in			1	Compass rose to be used as appropriate in combination with the following		ing VOH	V/DME	(·)	
	accordance with the align the station (normally Mag		E 81	Liz		symbo	TAC	AN	\heartsuit	
		No	ote.— Additiona	I points of compass	may be ac	kled as required.	VOF	RTAC	♥	

^{*} Note.— Guidance material on the presentation of radio navigation aid data is given in the ICAO Aeronautical Chart Manual (Doc 8697).


AIR TRAFFIC SERVICES



	Altitudes/flight levels	Altitude/flight level "window"	17 000 10 000	FL 220 10 000
		"At or above" altitude/flight level	7 000	<u>FL 70</u>
126		"At or below" altitude/flight level	5 000	FL 50
120		"Mandatory" altitude/flight level	3 000	FL 30
		"Recommended" procedure altitude/flight level	5 000	FL 50
		"Expected" altitude	Expect 5 000	Expect FL 50
	Note For use only on SID and STAR charts. Not intended for depiction	n of minimum obstacle clearance altitude.		

AIP - CAYMAN ISLANDS GEN 2.3-5

AIRSPACE CLASSIFICATIONS



AIRSPACE RESTRICTIONS




OBSTACLES

131	Obstacle	Λ	135	Exceptionally high obstacle (optional symbol)	<u> </u>			
132	Lighted obstacle	X	136	Exceptionally high obstacle - lighted (optional symbol)	Ä			
400	Construction of the construction	^^		Note.— For obstacles having a height of the order of 300 m (1 000 ft) above terrain.				
133	33 Group obstacles /\			_52				
134	Lighted group obstacles	<u> </u>	137	Elevation of top (italics) Height above s	specified datum parentheses)			

MISCELLANEOUS

138	Prominent transmission line	TT	139	Isogonic line or isogonal	3° E	140	Ocean station vessel (normal position)		
-----	-----------------------------	----	-----	---------------------------	------	-----	--	--	--

VISUAL AIDS



SYMBOLS FOR AERODROME/HELIPORT CHARTS

144	Hard surface runway	
145	Pierced steel plank or steel mesh runway	
146	Unpaved runway	
147	Stopway SWY	
148	Taxiways and parking areas	
149	Helicopter alighting area on an aerodrome	H
150	Aerodrome reference point	+
151	VOR check-point	4⊕
152	Runway visual range (RVR) observation site	\triangleright

153	D.: A.EM		•
153	Point light		0
154	Obstacle light		**
155	Landing direction indicator (lighted)		T
156	Landing direction indicator (unlighted)		Т
157	Stop bar		•••
158	Runway-holding	Pattern A	===
	position	Pattern B	ш
	Note For application, see Armex 14, Volume I, 5	.2.10.	
159	Intermediate holding position Note. – For application, see Annex 14, Volume 1, 5	2.11.	(200
160	Hot spot Note. – Hot spot location to be circled.		0

SYMBOLS FOR AERODROME OBSTACLE CHARTS - TYPE A, B AND C

		Plan	Profile
161	Tree or shrub	*	Identification
162	Pole, tower, spire, antenna, etc.	0	number
163	Building or large structure		*0
164	Railroad	+++	· ·
165	Transmission line or overhead cable	-TT-	

			Plan	Profile
166	Terrain penetrating obstacle pla	ne	\bigcirc	
167	Escarpment		111111	******
168	Stopway	SWY]::::::	:
169	Clearway	CWY]	

AIP - CAYMAN ISLANDS GEN 2.3-7

ADDITIONAL SYMBOLS FOR USE ON PAPER AND ELECTRONIC CHARTS

PLAN VIEW

	PLAN VIEW		
170	Minimum sector altitude Note.— This symbol may be modified to reflect particular sactor shapes.	MSA	8100 10500 8100 7 = 750 8000 MSA CED VOR
171	Terminal arrival altitude Note.— This symbol may be modified to reflect particular TAA shapes.	TAA	2650 7000 25NM 10 COMPG
172	Holding pattern		
173	Missed approach track		>
	PROFILE		
174	Runway		
175	Radio navigation aid (type of aid and its use in the procedure to be annotated on top of the symbol)		
176	Radio marker beacon (type of boacon to be annotated on top of the symbol)		
177	Collocated radio navigation aid and marker beacon (type of aid to be annotated on top of the symbol)		
178	DME fix (distance from DME and the fix use in the procedure to be annotated on top of the symbol)		
179	Collocated DME fix and marker beacon (distance from DME and the type of beacon to be annotated on top of the symbol)		

AIP - CAYMAN ISLANDS GEN 2.4-1

GEN 2.4 LOCATION INDICATORS

The location indicators marked with an asterisk (*) cannot be used in the address component of AFS messages.

1. ENCODE		2. DECODE	
Location	Indicator	Indicator	Location
Charles Kirkconnell Intl/Cayman Brac	MWCB	MWCB	Charles Kirkconnell Intl/Cayman Brac
Owen Roberts Intl/Grand Cayman	MWCR	MWCR	Owen Roberts Intl/Grand Cayman
Ritz Carlton Heliport/Grand Cayman	MWCC*	MWCC*	Ritz Carlton Heliport/Grand Cayman
Camana Bay Heliport/Grand Cayman	MWCD*	MWCD*	Camana Bay Heliport/Grand Cayman
FrankSound Airfield/Grand Cayman	MWCF*	MWCF*	FrankSound Airfield/Grand Cayman
GeorgeTown Heliport/GrandCayman	MWCG*	MWCG*	GeorgeTown Heliport/Grand Cayman
Edward Bodden Airfield/Little Cayman	MWCL*	MWCL*	Edward Bodden Airfield/Little Cayman
Windmill Hill Heliport/Grand Cayman	MWCW*	MWCW*	Windmill Heliport/Grand Cayman
			-

AIP - CAYMAN ISLANDS GEN 2.5-1

GEN 2.5 LIST OF RADIO NAVIGATION AIDS

ID	Station name	Facility	Purpose
GCM	Grand Cayman	VOR/DME	AE

AIP - CAYMAN ISLANDS GEN 2.6-1

GEN 2.6 CONVERSION TABLES

NM to	KM	KM to	NM	FT to	M	M to	FT
	.852 KM	1 KM =		1 FT = 0		1 M = 3	
NM	KM	KM	NM	FT	М	M	FT
0.1	0.185	0.1	0.05	1	0.305	1	3.28
0.2	0.370	0.2	0.11	2	0.610	2	6.56
0.3	0.556	0.3	0.16	3	0.914	3	9.84
0.4	0.741	0.4	0.22	4	1.219	4	13.12
0.5	0.926	0.5	0.27	5	1.524	5	16.40
0.6	1.111	0.6	0.32	6	1.829	6	19.69
0.7	1.296	0.7	0.38	7	2.134	7	22.97
0.8	1.482	0.8	0.43	8	2.438	8	26.25
0.9	1.667	0.9	0.49	9	2.743	9	29.53
1	1.852	1	0.54	10	3.048	10	32.81
2	3.704	2	1.08	20	6.096	20	65.62
3	5.556	3	1.62	30	9.144	30	98.43
4	7.408	4	2.16	40	12.192	40	131.23
5	9.260	5	2.70	50	15.240	50	164.04
6	11.112	6	3.24	60	18.288	60	196.85
7	12.964	7	3.78	70	21.336	70	229.66
8	14.816	8	4.32	80	24.384	80	262.47
9	16.668	9	4.86	90	27.432	90	295.28
10	18.520	10	5.40	100	30.480	100	328.08
20	37.040	20	10.80	200	60.960	200	656.17
30	55.560	30	16.20	300	91.440	300	984.25
40	74.080	40	21.60	400	121.920	400	1 312.34
50	92.600	50	27.00	500	152.400	500	1 640.42
60	111.120	60	32.40	600	182.880	600	1 968.50
70	129.640	70	37.80	700	213.360	700	2 296.59
80	148.160	80	43.20	800	243.840	800	2 624.67
90	166.680	90	48.60	900	274.320	900	2 952.76
100	185.200	100	54.00	1 000	304.800	1 000	3 280.84
200	370.400	200	107.99	2 000	609.600	2 000	6 561.68
300	555.600	300	161.99	3 000	914.400	3 000	9 842.52
400	740.800	400	215.98	4 000	1 219.200	4 000	13 123.36
500	926.000	500	269.98	5 000	1 524.000	5 000	16 404.20
				6 000	1 828.800		
				7 000	2 133.600		
				8 000	2 438.400		
				9 000	2 743.200		
				10 000	3 048.000		

GEN 2.6-2 AIP - CAYMAN ISLANDS

From decimal minutes of an arc to seconds of an arc

MIN	SEC	MIN	SEC	MIN	SEC	MIN	SEC
0.01	0.6	0.26	15.6	0.51	30.6	0.76	45.6
0.02	1.2	0.27	16.2	0.52	31.2	0.77	46.2
0.03	1.8	0.28	16.8	0.53	31.8	0.78	46.8
0.04	2.4	0.29	17.4	0.54	32.4	0.79	47.4
0.05	3.0	0.30	18.0	0.55	33.0	0.80	48.0
0.06	3.6	0.31	18.6	0.56	33.6	0.81	48.6
0.07	4.2	0.32	19.2	0.57	34.2	0.82	49.2
0.08	4.8	0.33	19.8	0.58	34.8	0.83	49.8
0.09	5.4	0.34	20.4	0.59	35.4	0.84	50.4
0.10	6.0	0.35	21.0	0.60	36.0	0.85	51.0
0.11	6.6	0.36	21.6	0.61	36.6	0.86	51.6
0.12	7.2	0.37	22.2	0.62	37.2	0.87	52.2
0.13	7.8	0.38	22.8	0.63	37.8	0.88	52.8
0.14	8.4	0.39	23.4	0.64	38.4	0.89	53.4
0.15	9.0	0.40	24.0	0.65	39.0	0.90	54.0
0.16	9.6	0.41	24.6	0.66	39.6	0.91	54.6
0.17	10.2	0.42	25.2	0.67	40.2	0.92	55.2
0.18	10.8	0.43	25.8	0.68	40.8	0.93	55.8
0.19	11.4	0.44	26.4	0.69	41.4	0.94	56.4
0.20	12.0	0.45	27.0	0.70	42.0	0.95	57.0
0.21	12.6	0.46	27.6	0.71	42.6	0.96	57.6
0.22	13.2	0.47	28.2	0.72	43.2	0.97	58.2
0.23	13.8	0.48	28.8	0.73	43.8	0.98	58.8
0.24	14.4	0.49	29.4	0.74	44.4	0.99	59.4
0.25	15.0	0.50	30.0	0.75	45.0		

From seconds of an arc to decimal minutes of an arc

SEC	MIN	SEC	MIN	SEC	MIN	SEC	MIN
1	0.02	16	0.27	31	0.52	46	0.77
2	0.03	17	0.28	32	0.53	47	0.78
3	0.05	18	0.30	33	0.55	48	0.80
4	0.07	19	0.32	34	0.57	49	0.82
5	0.08	20	0.33	35	0.58	50	0.83
6	0.10	21	0.35	36	0.60	51	0.85
7	0.12	22	0.37	37	0.62	52	0.87
8	0.13	23	0.38	38	0.63	53	0.88
9	0.15	24	0.40	39	0.65	54	0.90
10	0.17	25	0.42	40	0.67	55	0.92
11	0.18	26	0.43	41	0.68	56	0.93
12	0.20	27	0.45	42	0.70	57	0.95
13	0.22	28	0.47	43	0.72	58	0.97
14	0.23	29	0.48	44	0.73	59	0.98
15	0.25	30	0.50	45	0.75		

AIP - CAYMAN ISLANDS GEN 2.7-1

GEN 2.7 SUNRISE/SUNSET TABLE

1. Sunrise-Sunset table

OWEN ROBERTS/International MWCR 19 17 32.77N 81 21 33.08W

MONTH DAY SR SS MONTH DAY SR SS MAY 1 1057 2347 2348 6 1111 2333 2330 13 1202 2302 9 1053 2350 10 1113 2330 17 1203 2308 17 1050 2353 18 1114 2323 25 1048 2355 29 1201 2315 29 1048 2357 2368 1117 2309 2310 21 1049 2354 22 1115 2320 2310 29 1201 2315 29 1048 2357 30 1117 2313 2309 2317 6 1047 2359 0CT 4 1117 2309 2318 2321 24 24 22 2310 2317 2321												
The image		DAY	SR	SS		DAY						
Part	JAN				MAY				SEP			
13												
To 1203 2308 17 1050 2353 18 1114 2323 25 1202 2313 25 1048 2356 26 1116 2316 29 1201 2315 29 1048 2357 30 1117 2313 2315 29 1048 2357 30 1117 2313 2315 29 1048 2357 30 1117 2313 2315 29 1048 2357 30 1117 2313 2315 29 1048 2357 30 1117 2313 2315 29 1048 2357 30 1117 2313 2316 2319 10 1047 0000 8 1118 2306 2303 2319 2											1113	
The first color of the first c												
FEB 2 1200 2317 6 1048 2359 OCT 4 1116 2316 2309			1203	2308							1114	
FEB 2 1200 2317 6 1047 2359 OCT 4 1117 2313 FEB 2 1200 2317 6 1047 0000 8 1118 2306 6 1159 2319 14 1048 0003 16 1121 2300 11 1157 2321 18 1049 0004 20 1122 2257 118 1153 2325 22 1049 0005 24 1124 2254 22 1150 2327 26 1050 0006 MAR 2 1144 2330 30 1052 0006 MAR 2 1144 2330 8 1054 0006 5 1129 2248 6 1141 2331 12 1056 0006 9 1131 2247 10 1138 2332 12 12 1056 0006 13 1133 2246 14 1135 2334 16 1057 0005 17 1135 2245 18 1131 2335 220 1059 0004 22 1128 2336 24 1100 0003 25 1140 2244 26 1124 2337 30 1121 2338 APR 3 1118 2339 5 1101 0001 29 1142 2245 APR 3 1118 2339 7 1114 2340 9 1105 2355 11 11150 2247 11 1111 2341 13 1106 2353 15 1151 1150 2247 11 1111 2341 13 1106 2353 15 1151 1150 2247 11 1111 2341 13 1106 2353 15 1151 1150 2247 11 1111 2341 13 1106 2353 15 1151 1150 2247 11 1111 2341 13 1106 2353 15 1151 1150 2247 11 1111 2341 13 1106 2353 15 1151 1150 2247 11 1110 2341 13 1106 2353 15 1151 1150 2247 11 1108 2342 21 1109 2344 27 1158 2255			1202	2310							1115	
FEB 2 1200 2317 6 1047 0000 8 1118 2306 6 1159 2319 10 1047 0000 12 112 1120 2303 10 1157 2321 14 1048 0003 16 1121 2300 14 1155 2323 222 1049 0005 24 1124 2254 22 1150 2327 26 1050 0006 28 1125 2252 26 1148 2332 26 1050 0006 28 1125 2252 26 1148 2332 8 1054 0006 9 1131 2247 10 1138 2332 16 1054 0006 13 1133 2246 14 1135 2334 16 1057 0005 17 1135 2245 18 1131 2335 224 16 1057 0005 17 1135 2245 18 1131 2335 234 16 1057 0005 17 1137 2244 22 1128 2336 24 1100 0003 25 1140 2244 26 1124 2337 30 1121 2338 101 0000 0003 25 1140 2244 26 1124 2337 30 1121 2338 101 0001 29 1142 2245 APR 3 1118 2339 5 1104 2358 7 1147 2246 11 1111 2341 13 1106 2353 15 1150 2247 11 1111 2341 13 1106 2353 15 1152 2245 15 1108 2342 21 1109 2347 23 1156 2253 23 1102 2344 22 11109 2347 23 1156 2253 24 1109 2347 23 1156 2253		25	1202	2313								
FEB 2 1200 2317 6 1047 0000 8 1118 2306 6 1159 2319 10 1047 0002 12 1120 2303 10 1157 2321 14 1048 0003 16 1121 2300 14 1155 2323 18 1049 0004 20 1122 2257 18 1153 2325 22 1049 0005 24 1124 2254 22 1150 2327 26 1050 0006 28 1125 2252 26 1148 2328 30 1052 0006 28 1125 2252 MAR 2 1144 2330 8 1050 0006 5 1129 2248 Mary 10 1138 2332 12 1056 0006 13 1131 2247 18 1131 2335 24<		29	1201	2315		29	1048	2357		30	1117	2313
The bound of the color of the					JUNE	2	1047	2359	ост	4	1117	2309
MAR 2 1144 2330 2314 2330 225 226 1050 2006 28 1125 2252 2257 26 1148 232	FEB	2	1200	2317		6	1047	0000		8	1118	2306
10	LLD					10	1047	0002		12	1120	2303
14						14	1048	0003		16	1121	2300
18						18	1049	0004		20	1122	2257
MAR 2						22	1049	0005			1124	2254
MAR 2 1144 2330 JULY 4 1053 0006 5 1129 2248 6 1141 2331 8 1054 0006 9 1131 2247 10 1138 2332 12 1056 0006 13 1133 2246 14 1135 2334 16 1057 0005 17 1135 2245 18 1131 2335 20 1059 0004 21 1137 2244 22 1128 2336 24 1100 0003 25 1140 2244 26 1124 2337 30 1121 2338 APR 3 1118 2339 5 1101 0001 29 1142 2245 APR 3 1118 2339 5 1104 2358 7 1147 2246 11 1111 2341 111 2341 13 1106 2353 15 1150 2247 15 1108 2342 17 1108 2350 19 1154 2251 19 1105 2343 21 1109 2347 23 1156 2253 23 1102 2344 25 1109 2344 27 1158 2255							1050	0006		28	1125	2252
MAR 2 1144 2330 JULY 4 1053 0006 5 1129 2248 6 1141 2331 8 1054 0006 9 1131 2247 10 1138 2332 12 1056 0006 13 1133 2246 14 1135 2334 16 1057 0005 17 1135 2245 18 1131 2335 20 1059 0004 21 1137 2244 22 1128 2336 24 1100 0003 25 1140 2244 26 1124 2337 28 1101 0001 29 1142 2245 APR 3 1118 2339 5 1104 2358 7 1147 2246 4 1010 2000 DEC 3 1145 2245 APR 3 1118 2340 13 1106						30	1052	0006				
APR 3 1118 2339 APR 3 1118 2341 APR 4 1100 APR 4 1100		20	1110	2320					NOV	1	1127	2250
6 1141 2331 8 1054 0006 9 1131 2247 10 1138 2332 12 1056 0006 13 1133 2246 14 1135 2334 16 1057 0005 17 1135 2245 18 1131 2335 20 1059 0004 21 1137 2244 22 1128 2336 24 1100 0003 25 1140 2244 26 1124 2337 28 1101 0001 29 1142 2245 30 1121 2338 40G 1 1103 0000 000 000 000 000 000 000 000 000 000 000 000 000 000 000	MAR	2	1144	2330	JULY	4	1053	0006		5	1129	2248
10 1138 2332 12 1056 0006 13 1133 2246 14 1135 2334 16 1057 0005 17 1135 2245 18 1131 2335 20 1059 0004 21 1137 2244 22 1128 2336 24 1100 0003 25 1140 2244 26 1124 2337 30 1121 2338 AUG 1 1103 0000 DEC 3 1145 2245 30	1411111					8	1054	0006		9	1131	2247
14 1135 2334 16 1057 0005 17 1135 2245 18 1131 2335 20 1059 0004 21 1137 2244 22 1128 2336 24 1100 0003 25 1140 2244 26 1124 2337 28 1101 0001 29 1142 2245 30 1121 2338 AUG 1 1103 0000 DEC 3 1145 2245 APR 3 1118 2339 5 1104 2358 7 1147 2246 4 11 1111 2341 13 1106 2355 11 1150 2247 15 1108 2342 17 1108 2350 19 1154 2251 19 1105 2343 21 1109 2347 23 1156 2253 23 1102 2344 25 1109 2344 27 1158 2255						12	1056	0006		13	1133	2246
18 1131 2335 20 1059 0004 21 1137 2244 22 1128 2336 24 1100 0003 25 1140 2244 26 1124 2337 28 1101 0001 29 1142 2245 30 1121 2338 AUG 1 1103 0000 DEC 3 1145 2245 APR 3 1118 2339 5 1104 2358 7 1147 2246 7 1114 2340 9 1105 2355 11 1150 2247 11 1111 2341 13 1106 2353 15 1152 2249 15 1108 2342 17 1108 2350 19 1154 2251 19 1105 2343 21 1109 2347 23 1156 2253 23 1102 2344 25 1109 2344 27 1158 2255						16	1057	0005		17	1135	2245
APR 3 1118 2339 AUG 1 1100 0001 2245 APR 3 1118 2339 5 1101 0000 DEC 3 1145 2245 APR 11 1111 2341 111 2341 115 1106 2353 15 1152 2249 15 1108 2342 17 1108 2350 19 1154 2251 19 1105 2343 21 1109 2347 23 1156 2253 23 1102 2344 25 1109 2344 27 1158 2255						20	1059	0004		21	1137	2244
APR 3 1118 2339 5 1101 0001 29 1142 2245 APR 3 1118 2339 5 1104 2358 7 1147 2246 7 1114 2340 9 1105 2355 11 1150 2247 11 1111 2341 13 1106 2353 15 1152 2249 15 1108 2342 17 1108 2350 19 1154 2251 19 1105 2343 21 1109 2347 23 1156 2253 23 1102 2344 27 1158 2255						24	1100	0003		25	1140	2244
APR 3 1118 2339 5 1104 2358 7 1147 2245 7 1114 2340 9 1105 2355 11 1150 2247 11 1111 2341 13 1106 2353 15 1152 2249 15 1108 2342 17 1108 2350 19 1154 2251 19 1105 2343 21 1109 2347 23 1156 2253 23 1102 2344 25 1109 2344 27 1158 2255						28	1101	0001		29	1142	2245
APR 3 1118 2339 5 1104 2358 7 1147 2246 7 1114 2340 9 1105 2355 11 1150 2247 11 1111 2341 13 1106 2353 15 1152 2249 15 1108 2342 17 1108 2350 19 1154 2251 19 1105 2343 25 1109 2347 23 1156 2253 23 1102 2344 27 1158 2255 2255 23 23 23 234 234 235 235 235 235 235 235 235 235 235 235												
7 1114 2340 9 1105 2355 11 1150 2247 11 1111 2341 13 1106 2353 15 1152 2249 15 1108 2342 17 1108 2350 19 1154 2251 19 1105 2343 21 1109 2347 23 1156 2253 23 1102 2344 25 1109 2344 27 1158 2255		50	1121	2330	AUG	1	1103	0000	DEC	3	1145	2245
7 1114 2340 9 1105 2355 11 1150 2247 11 1111 2341 13 1106 2353 15 1152 2249 15 1108 2342 17 1108 2350 19 1154 2251 19 1105 2343 21 1109 2347 23 1156 2253 23 1102 2344 27 1158 2255 20 1109 2344 27 1158 2255	APR	3	1118	2339			1104	2358			1147	2246
11 1111 2341 13 1106 2353 15 1152 2249 15 1108 2342 17 1108 2350 19 1154 2251 19 1105 2343 21 1109 2347 23 1156 2253 23 1102 2344 25 1109 2344 27 1158 2255 20 1109 2344 27 1158 2257						9	1105	2355		11	1150	2247
15 1108 2342 17 1108 2350 19 1154 2251 19 1105 2343 21 1109 2347 23 1156 2253 23 1102 2344 25 1109 2344 27 1158 2257						13	1106	2353		15	1152	2249
19 1105 2343 21 1109 2347 23 1156 2253 23 1102 2344 25 1109 2344 27 1158 2255							1108				1154	
23 1102 2344 25 1109 2344 27 1158 2255							1109				1156	
						25	1109	2344		27	1158	2255
2, 1100 25.5						29	1110	2341		31	1159	2257
			1100	2010								

1.1

AIP - CAYMAN ISLANDS GEN 3.1-1

GEN 3. SERVICES

GEN 3.1 AERONAUTICAL INFORMATION SERVICES

1. Responsible service

1.1 The Aeronautical Information Service, which forms part of the Cayman Islands Airports Authority ensures the flow of information necessary for the safety, regularity and efficiency of international and national air navigation within the area of its responsibility as indicated under 2. below. It consists of AIS Headquarters and AIS units established at certain aerodromes as listed under GEN 3.1-4 below.

1.2 AIS Headquarters

Aeronautical Information Service Manager Cayman Islands Airports Authority P.O. Box 10098 APO Grand Cayman Cayman Islands

TEL: 345 943 7070 FAX: 345 943 7071 AFS: MWCRYOYX

EMAIL: tyrone.persaud@caymanairports.com

Website: www.caymanairports.com

1.3 International NOTAM office (NOF)

Kingston NOTAM Office Jamaica Civil Aviation Authority 4 Winchester Road Kingston 10 Jamaica, W.I.

TEL: 876 960 3948 FAX: 876 920 0194 AFS: MKJKYNYX

Email: aisnmia@jcaa.gov.jm Website: www.jcaa.gov.jm

The service is provided in accordance with the provisions contained in ICAO Annex 15 – Aeronautical Information Services.

Owen Roberts International Airport Operational Hours: 12:00-02:00 UTC Charles Kirkconnell International Airport Operational Hours: 12:00-00:00 UTC

2. Area or responsibility

The Aeronautical Information Service is responsible for the collection and dissemination of information for the entire territory of the Cayman Islands and for the airspace over the high seas encompassed by the Cayman Islands Terminal Control Area. Additionally, the Aeronautical Information Service is responsible for flight planning and the collection of aeronautical fees from client who are not billed monthly by the Cayman Islands Airport Authority.

3. Aeronautical Publication

3.1 The aeronautical information is provided in the form of the Integrated Aeronautical Information Package (IAIP) consisting of the following elements:

- Aeronautical Information Publication (AIP);
- AIP Amendments (AIP AMDT):
- AIP Supplement to the AIP (AIP SUP)
- NOTAM and limited Pre-Flight Information Bulletins (PIB)
- Checklists and list of valid NOTAM

AIP, AIP AMDT, AIP SUP AND AIC are available on the Cayman Islands Airport Authority website. NOTAM are issued via the Aeronautical Fixed Telecommunication Network (AFTN)/Aeronautical Message Handling System (AMHS) and the related monthly checklists are issued via the email by Jamaica NOTAM Office (NOF) while limited PIB are made available on request at the aerodrome AIS units.

3.2 Aeronautical Information Publication (AIP)

The AIP is the basic aviation document intended primarily to satisfy international requirements for the exchange of permanent aeronautical information and long duration temporary changes essential for air navigation.

The Cayman Islands AIP is published in 1 volume.

The AIP is published in loose-leaf form in English only for use in international and domestic operations, whether the flight is a commercial or a private one.

3.3 Amendment service to the AIP (AIP AMDT)

Amendments to the AIP are made by means of replacement sheets. Two types of AIP AMDT are produced:

- Regular AIP Amendment (AIP AMDT), issued on the first day of each month and identified by a light blue cover sheet, incorporates permanent changes into the AIP on the indicated publication date; and
- AIRAC AIP Amendment (AIRAC AIP AMDT), issued in accordance with the AIRAC system and identified by a pink cover sheet and the acronym AIRAC, incorporates operationally significant permanent changes into the AIP on the indicated AIRAC effective date.

A brief description of the subjects affected by the amendment is given on the AIP Amendment cover sheet. New information included on the reprinted AIP pages is annotated or identified by a vertical line in the left margin (or immediately to the left) of the change/addition.

Each AIP page and each AIP replacement page introduced by an amendment, including the amendment cover sheet, are dated. The date consists of the day, month (by name) and year of the publication date (regular AIP AMDT) or of the AIRAC effective date (AIRAC AIP AMDT) of the information. Each AIP cover sheet includes references to the serial number of those elements, if any, of the Integrated Aeronautical Information Package which have been incorporated in the AIP by the amendment and are consequently cancelled.

Each AIP AMDT and each AIRAC AIP AMDT are allocated separate serial numbers which are consecutive and based on the calendar year. The year, indicated by two digits is a part of the serial number of the amendment, e.g. AIP AMDT 1/96; AIRAC AIP AMDT 1/96.

A checklist of AIP pages containing page number/chart title and the publication or effective date (day, month by name and year) of the information is reissued with each amendment and is an integral part of the AIP.

AIP - CAYMAN ISLANDS GEN 3.1-3

3.4 Supplement to the AIP (AIP SUP)

Temporary changes of long duration (three months and longer) and information of short duration which consists of extensive text and/or graphics, supplementing the permanent information contained in the AIP, are published as AIP Supplements (AIP SUP). Operationally significant temporary changes to the AIP are published in accordance with the AIRAC system and its established effective dates and are identified clearly by the acronym AIRAC AIP SUP. AIP Supplements are separated by information subject (General—GEN, En-route—ENR and Aerodromes—AD) and are placed accordingly at the beginning of each AIP Part. Supplements are published on yellow paper to be conspicuous and to stand out from the rest of the AIP. Each AIP Supplement (regular or AIRAC) is allocated a serial number which is consecutive and based on the calendar year. i.e. AIP SUP 1/96; AIRAC AIP SUP 1/96. AIP Supplements are separated by information subject (General—GEN, En-route—ENR and Aerodromes—AD) and are placed accordingly at the beginning of each AIP Part. Supplements are published on yellow paper to be conspicuous and to stand out from the rest of the AIP. Each AIP Supplement (regular or AIRAC) is allocated a serial number which is consecutive and based on the calendar year. i.e. AIP SUP 1/96; AIRAC AIP SUP 1/96.

An AIP Supplement is kept in the AIP as long as all or some of its contents remain valid. The period of validity of the information contained in the AIP Supplement will normally be given in the supplement itself. Alternatively, NOTAM may be used to indicate changes to the period of validity or cancellation of the supplement.

The checklist of AIP Supplements currently in force is issued in the monthly printed plain-language summary of NOTAM in force.

3.5 NOTAM and Pre-flight Information Bulletins (PIB)

NOTAM contain information concerning the establishment, condition or change in any aeronautical facility, service, procedure or hazard, the timely knowledge of which is essential for personnel concerned with flight operations. The text of each NOTAM contains the information in the order shown in the ICAO NOTAM Format and is composed of the significant uniform abbreviated phraseology assigned to the ICAO NOTAM Code complemented by ICAO abbreviations, indicators, identifiers, designators, call signs, frequencies, figures and plain language. NOTAMs are originated by the Kingston International NOTAM Office (NOF) and issued for the Cayman Islands TMA and are distributed in series identified by the letter A.

Series A. General rules, en-route navigation and communications facilities, airspace restrictions and activities taking place below FL 245 and information concerning major international aerodromes.

3.6 Aeronautical Information Circulars (AIC)

The Aeronautical Information Circulars (AIC) contain information on the long-term forecast of any major change in legislation, regulations, procedures or facilities; information of a purely explanatory or advisory nature liable to affect flight safety; and information or notification of an explanatory or advisory nature concerning technical, legislative or purely administrative matters.

Each AIC is numbered consecutively on a calendar year basis. The year, indicated by two digits, is a part of the serial number of the AIC, e.g. AIC 1/96. A checklist of AIC currently in force is issued as an AIC twice a year.

GEN 3.1-4 AIP - CAYMAN ISLANDS

3.7 Checklist and summary of NOTAM

A checklist of valid NOTAM is issued monthly via email to all recipients of the Integrated Aeronautical Package. It contains a plain language presentation of the NOTAM and information about the number of the latest issued AIRAC AIP AMDT, AIP SUP and AIC as well as the numbers of the elements issued under the AIRAC that will become effective or, if none, the NIL AIRAC notification.

3.8 Sale of publications

The said publication is available free of cost on the Cayman Islands Airports Authority website at www.caymanairports.com.

4. AIRAC System

- 4.1 In order to control and regulate the operationally significant changes requiring amendments to charts, route-manuals etc., such changes, whenever possible, will be issued on predetermined dates according to the AIRAC SYSTEM. This type of information will be published as an AIRAC AIP AMDT or an AIRAC AIP SUP. If an AIRAC AMDT or SUP cannot be produced due to lack of time, a NOTAM clearly marked AIRAC will be issued. Such NOTAM will immediately be followed by an AMDT or SUP.
- 4.2 The table below indicates AIRAC effective dates for the coming years. AIRAC information will be issued so that the information will be received by the user not later than 28 days, and for major changes not later than 56 days, before the effective date. At AIRAC effective date, a trigger NOTAM will be issued given a brief description of the contents, effective date and reference number of the AIRAC AIP AMDT or AIRAC AIP SUP that will become effective on that date. Trigger NOTAM will remain in force as a reminder in the PIB until the new checklist/summary is issued.

If no information was submitted for publication at the AIRAC date, a NIL notification will be issued by NOTAM not later than one AIRAC cycle before the AIRAC effective date concerned.

2024	2025	2026	2027	2028
25 Jan	23 Jan	22 Jan	21 Jan	20 Jan
22 Feb	20 Feb	19 Feb	18 Feb	17 Feb
21 Mar	20 Mar	19 Mar	18 Mar	16 Mar
18 Apr	17 Apr	16 Apr	15 Apr	13 Apr
16 May	15 May	14 May	13 May	11 May
13 Jun	12 Jun	11 Jun	10 Jun	08 Jun
11 Jul	10 Jul	09 Jul	08 Jul	06 Jul
08 Aug	07 Aug	06 Aug	05 Aug	03 Aug
05 Sep	04 Sept	03 Sep	02 Sep	31 Aug
03 Oct	02 Oct	01 Oct	30 Sep	28 Sep
31 Oct	30 Oct	29 Oct	28 Oct	26 Oct
28 Nov	27 Nov	26 Nov	25 Nov	23 Nov
26 Dec	25 Dec	24 Dec	23 Dec	21 Dec
	1			

Schedule of AIRAC effective dates

AIP - CAYMAN ISLANDS GEN 3.1-5

5. Pre-flight information service at aerodromes

Pre-flight information is available at aerodromes as detailed below.

Aerodrome/Heliport	Briefing coverage
Charles Kirkconnell/International	North, Central and South America, the Caribbean and Europe
Owen Roberts/International	North, Central and South America, the Caribbean and Europe

Daily Pre-flight Information Bulletins (PIB) — Route Bulletins and Summaries are available for distribution at Owen Roberts/International and Charles Kirkconnell/International airports AIS units. The aerodrome AIS units are connected to the central NOTAM data bank at KINGSTON/Norman Manley.

6. Digital Data Sets

Digital terrain and obstacles data sets encompassing the Obstacle Limitation Surfaces defined in ICAO Annex 14, together with the surface having a 1.2 per cent slope over the Take-off Flight Path Areas for runway 09 and runway 27 defined in ICAO Annex 4, and Area 2 defined in ICAO Annex 15, Chapter 5, is available for Charles Kirkconnell and Owen Roberts International Airports as indicated in the tables below. Data can be obtained from the Cayman Islands Airport Authority website provided below. The MWCB and MWCR Aerodrome Obstacle Charts – ICAO Type A are found on page MWCB AD 2-17 and MWCR AD 2-43, respectively.

	Digital					
A 1	Obstacle Limitation Surface					
Aerodrome	Transitional	Inner Horizontal	Conical	Outer Horizontal		
MWCB	AVBL	AVBL	_1*	_2*		
MWCR	AVBL	AVBL	_1*	_2*		

^{1*} No obstacles penetrate this surface

^{2*} No obstacles penetrate this surface

	Digital					
Aerodrome	Type A Chart	Terrain Obstacle Data				
Aerodrome	TOFP	Area 2a	Area 2b	Area 2c	Area 2d	
MWCB	Runway 09/27	AVBL	AVBL	AVBL	AVBL	
MWCR	Runway 08/26	AVBL	AVBL	AVBL	AVBL	

Website: https://www.caymanairports.com/aeronautical-information-publication/

AIP - CAYMAN ISLANDS GEN 3.2-1

GEN 3.2 AERONAUTICAL CHARTS

1. Responsible services

1.1 The Cayman Islands Airports Authority provides a wide range of aeronautical charts for use by all types of civil aviation. The Aeronautical Information Service produces the charts which are part of the AIP. To supplement the aeronautical charts, topographical charts are produced by the Government of the Cayman Islands, Lands and Survey Department. Charts suitable for pre-flight planning and briefing, selected from those listed in the ICAO Aeronautical Chart Catalogue (Doc 7101), are available for reference at aerodrome AIS units. (Their addresses can be found under paragraph 3 below.) The charts are produced in accordance with the provisions contained in ICAO Annex 4 – Aeronautical Charts. Differences to these provisions are detailed in subsection GEN 1.7.

2. Maintenance of charts

- 2.1 The aeronautical charts included in the AIP are kept up to date by amendments to the AIP. Corrections to aeronautical charts not contained in the AIP are promulgated by the AIP Amendments and are listed under 84. of this subsection. Information concerning the planning for or issuance of new maps and charts is notified by Aeronautical Information Circular.
- 2.2 If incorrect information detected on published charts is of operational significance, it is corrected by NOTAM.

3. Purchase arrangements

- 3.1 Aeronautical Charts contained in this AIP are currently available free of cost on the Cayman Islands Airports Authority website at www.caymanairports.com.
- 3.2 The Civil Aviation Authority Cayman Islands has copies of the ICAO *Aeronautical Chart Catalogue* (Doc 7101) where all aeronautical charts or chart series produced by this and other countries are listed and known to be generally available to civil aviation.

4. Aeronautical chart series available

- 4.1 The following series of aeronautical charts are produced:
 - a) Aerodrome Chart ICAO;
 - b) Aerodrome Obstacle Chart Type A (for each runway) ICAO;
 - c) Standard Departure Chart Instrument (SID) ICAO;
 - d) Standard Arrival Chart Instrument (STAR) ICAO;
 - e) Instrument Approach Chart (for each runway and procedure type) ICAO;

AIP - CAYMAN ISLANDS GEN 3.2-2

The charts currently available are listed under section 5. of this subsection.

- 1.1 General description of each series.
- a) Aerodrome Chart. This chart contains detailed aerodrome data to provide flight crews with information that will facilitate the ground movement of aircraft:
 - from the aircraft stand to the runway; and
 - from the runway to the aircraft stand;

It also provides essential operational information at the aerodrome.

b) Aerodrome Obstacle Chart - Type A (operating limitations). This chart contains detailed information on obstacles in the take-off flight path areas of aerodromes. It is shown in plan and profile view. This obstacle information in combination with an Obstacle Chart - ICAO Type C, provides the data necessary to enable an operator to comply with the operating limitations of ICAO Annex 6, Parts I and II, Chapter 5.

The aeronautical data include all aerodromes, prohibited, restricted and danger areas and the air traffic services system in detail. The chart provides the flight crew with information that will facilitate navigation along ATS routes in compliance with air traffic services procedures.

c) Standard Departure Chart - Instrument (SID) ICAO. This chart is produced whenever a standard departure route - instrument has been established and cannot be shown with sufficient clarity on the Area Chart - ICAO.

The aeronautical data shown include the aerodrome of departure, aerodrome(s) which affect the designated standard departure route instrument, prohibited, restricted and danger areas and the air traffic services system. This chart provides the flight crew with information that will enable them to comply with the designated standard departure route -instrument from the takeoff phase to the en-route phase.

d) Standard Arrival Chart - Instrument (STAR) ICAO. This chart is produced whenever a standard arrival route -instrument has been established and cannot be shown with sufficient clarity on the Area Chart – ICAO.

The aeronautical data shown include the aerodrome of landing, aerodrome(s) which affect the designated standard arrival route - instrument, prohibited, restricted and danger areas and the air traffic services system. This chart provides the flight crew with information that will enable them to comply with the designated standard arrival route -instrument from the en-route phase to the approach phase.

e) Instrument Approach Chart - ICAO. This chart is produced for all aerodromes used by civil aviation where instrument approach procedures have been established. A separate Instrument Approach Chart – ICAO has been provided for each approach procedure.

The aeronautical data shown include information on aerodromes, prohibited, restricted and danger areas, radio communication facilities and navigation aids, minimum sector altitude, procedure track portrayed in plan and profile view, aerodrome operating minima, etc.

AIP - CAYMAN ISLANDS GEN 32-3

This chart provides -the flight crew with information that will enable them to perform an approved instrument approach procedure to the runway of intended landing including the missed approach procedure and where applicable, associated holding patterns.

- a) Visual Approach Chart. This chart is produced for aerodromes used by civil aviation where:
 - only limited navigation facilities are available; or
 - radio communication facilities are available; or
 - no adequate aeronautical charts of the aerodrome and its surroundings at 1:500 000 or greater scale are available; or
 - visual approach procedures have been established.

The aeronautical data shown includes information on aerodromes, obstacles, designated airs pace, visual approach information, radio navigation aids and communication facilities, as appropriate.

5. List of aeronautical charts available

Those chart series listed below formpart of the AIP.

	Title of series	Name and/or number
ADC	Aerodrome Chart – ICAO	Cay man Brac, Charles Kirkconnell Intl. Grand Cayman, Owen Roberts Intl.
AOC	Aerodrome Obstacle Chart Type A – ICAO	Owen Roberts Intl. Type A Charles Kirkconnell Intl. Type A
ERC	En-route Chart – ICAO	Cayman Islands TMA
IAC	Instrument Approach Chart – ICAO	Cayman Brac, Charles Kirkconnell Intl. Grand Cayman, Owen Roberts Intl.
STAR	Standard Arrival Chart – ICAO	Cayman Brac, Charles Kirkconnell Intl. Grand Cayman, Owen Roberts Intl.
SID	St andard Departure Chart – ICAO	Cay man Brac, Charles Kirkconnell Intl. Grand Cayman, Owen Roberts Intl.
VA	Visual Approach Chart – ICAO	Cayman Brac, Charles Kirkconnell Intl. Grand Cayman, Owen Roberts Intl.

6. Topographical charts

To supplement the aeronautical charts, topographical maps and customs maps are available from:

Chief Surveyor: Michael Whiteman
Lands and Survey Department
Postal Address: PO Box 120 KY1-9000
Telephone Contact: (345)244-3413
Email: michael.whiteman@gov.ky
Website: https://www.caymanlandinfo.ky/

Pricing available upon on request, further enquires can be emailed to the address above.

AIP-CAYMAN ISLANDS GEN 3.2-5

7. CORRECTION TO CHARTS NOT CONTAINED IN THE AIP

"NIL"

AIP - CAYMAN ISLANDS GEN 3.3-1

GEN 3.3 AIR TRAFFIC SERVICES

1. Responsible service

The Cayman Islands Airports Authority is responsible for the provision of air traffic services within the area indicated under 2. below.

Air Traffic Control Manager Cayman Islands Airports Authority P.O. Box 10098 APO Grand Cayman Cayman Islands

TEL: 345 943 7070 FAX: 345 943 7071 AFS: MWCRYAYX

EMAIL: Alastair.Bird@caymanairports.com

Website: www.caymanairports.com

The services are provided in accordance with the provisions contained in the following ICAO documents:

Annex 2 — Rules of the Air

Annex 11—Air Traffic Services

Doc 8168 — Procedures for Air Navigation Services — Aircraft Operations (PANS-OPS)

Doc 7030 — Regional Supplementary Procedures

Differences to these provisions are detailed in subsection GEN 1.7.

2. Area of responsibility

Air traffic services are provided for the entire territory of the Cayman Islands, including its territorial waters as well as the airspace over the high seas within the Cayman Islands TMA.

3. Types of services

The following types of services are provided:

- Aeronautical Information Service (AIS)
- Aerodrome Control (TWR)
- Approach Control (APP)
- Automatic Terminal Information Service (ATIS) at Owen Roberts International.

4. Co-ordination between the operator and ATS

Co-ordination between the operator and air traffic services is affected in accordance with 2.15 of ICAO Annex 11 and 2.1.1.4 and 2.1.1.5 of Part VIII of the *Procedures for Air Navigation Services* — *Rules of the Air and Air Traffic Services* (Doc 4444, Air Traffic Management).

5. Minimum flight altitude

The minimum flight altitudes on the ATS routes, as presented in section ENR 3, have been determined so as to ensure a minimum vertical clearance above the controlling obstacle in the area concerned.

6. ATS units address list

AFS address	Website
5	6
MWCRZTZX	www.caymanairports.com
	MWCRZTZX

AIP - CAYMAN ISLANDS GEN 3.4-1

GEN 3.4 COMMUNICATION SERVICES

1. Responsible service

The responsible service for the provision of telecommunication and navigation facility services in the Cayman Islands is the Cayman Islands Airports Authority.

Communications Navigation and Surveillance Manager Cayman Islands Airports Authority P.O. Box 10098 Grand Cayman KY1-1001 Cayman Islands

TEL: 345 943 7070 FAX: 345 943 7071 AFS: MWCRYAYX

EMAIL: Alan.Cousins@caymanairports.com

The service is provided in accordance with the provisions contained in the following ICAO documents:

Annex 10 — Aeronautical Telecommunications

Doc 8400 — Procedures for Air Navigation Services — ICAO Abbreviations and Codes (PANS-ABC)
Doc 8585 — Designators for Aircraft Operating Agencies, Aeronautical Authorities and Services

Doc 7030 — Regional Supplementary Procedures

Doc 7910 — Location Indicators

2. Area of responsibility

Communication services are provided for the entire Cayman Islands TMA. Arrangements for such services on a continuing basis should be made with the Director of Civil Aviation, who is also responsible for the application of the regulations concerning the design, type and installations of aircraft radio stations. Responsibility for the day-to-day operation of these services is vested in the Director. Inquiries, suggestions or complaints regarding any telecommunication service should be referred to the Director.

3. Types of service

3.1 Radio navigation services

The following types of radio aids to navigation are available:

VHF omni-directional radio range (VOR) Distance-measuring equipment (DME)

The coordinates listed in ENR 4 refer to the transmitting antennas.

3.2 Mobile/fixed service

Mobile service

The aeronautical stations maintain a continuous watch on their stated frequencies during the published hours of service unless otherwise notified.

CEN 342 AIP - CAYMAN ISLANDS

An aircraft should normally communicate with the air-ground control radio station that exercises control in the area in which the aircraft is flying. Aircraft should maintain a continuous watch on the appropriate frequency of the control station and should not abandon watch, except in an emergency, without informing the control radio station.

All flights entering the Cayman Islands TMA are required to establish two-way communications with Cayman Approach at least 10 minutes prior to entry.

Fixed service

The messages to be transmitted over the Aeronautical Fixed Service (AFS) are accepted only if:

- a) they satisfy the requirements of ICAO Annex 10, Vol. II, Chapter 3,3.3;
- b) they are prepared in the forms pecified in ICAO Annex 10;
- c) the text of an individual message does not exceed 200 groups.

3.3 Broadcasting service

Meteorological broadcasts are available for the use of aircraft in flight. Full details are given in subsection GEN 3.5.

3.4 Language used: English

3.5 Where detailed information can be obtained

Details of the various facilities available for the en-route traffic can be found in Part 2, ENR4.

Details of the facilities available at the individual aerodromes can be found in the relevant sections of Part 3 (AD). In cases where a facility is serving both the en-route traffic and the aerodromes, details are given in the relevant sections of Part 2 (ENR) and Part 3 (AD).

4. Requirements and conditions

The requirements of the Civil Aviation Authority and the general conditions under which the communication services are available for international use, as well as the requirements for the carriage of radio equipment, are contained in the Air Navigation (Radio) Regulations of the Cayman Islands.

AIP - CAYMAN ISLANDS GEN 35-1

GEN 3.5 METEOROLOGICAL SERVICES

1. Responsible service

The meteorological services for civil aviation are provided by the Meteorological Section of the Cayman Islands National Weather Service.

Director General National Weather Service Ministry DAWLA P.O. Box 10022 Grand Cayman KY1-1001 Cayman Islands

TEL: 345 945 5773 FAX: 345 946 7523 AFS: MWCRYMYX

EMAIL: john.tibbetts@gov.ky Website: www.weather.gov.ky

The service is provided in accordance with the provisions contained in the following ICAO documents:

Annex 3 — Meteorological Service for International Air Navigation Doc 7030 — Regional Supplementary Procedures

Differences to these provisions are detailed in subsection GEN 1.7.

2. Area of responsibility

Meteorological service is provided within the Cayman Islands TMA.

3. Meteorological observations and reports

Table GEN 3.5.3 Meteorological observations and reports

Name of station/ Location indicator	Type & frequency of observation/ automatic observing equipment	Types of MET reports & Supplementary Information included	Observation System & Site(s)	Hours of operation	Climatological information
1	2	3	4	5	6
Owen Roberts International MW CR	Hourly plus special observations	METAR, SPECI TAF	Anemometer 375 m FM THR RWY 08. Thermometer close to anemometer site. Cloud base estimated.	1100 - 0300	Climatological summaries AVBL
Charles Kirkconnell International MW CB	Hourly plus special observations	METAR,SPECI TAF	Anemometer 1200 m FM THR RWY 09. Thermometer close to anemometer site. Cloud base estimated.	1200 - 0000	Climatological summaries AVBL

CEN 35-2 AIP - CAYMAN ISLANDS

4. Types of services

Personal briefing and consultation for flight crewmembers are provided only at Owen Roberts International. For all other aerodromes, consultation is available by telephone.

Limited flight documentation is normally provided for domestic flights. For international flights, the flight documentation comprises a significant weather chart, an upper wind and upper air temperature chart and the latest available aerodrome forecast for the destination and its alternate aerodromes.

Daily forecast of weather conditions for the Cayman Islands can be obtained by dialing the following telephone numbers:

(345) 947 5773

(345) 949 4528

(345) 244 5829

5. Notification required from operators

Notification from operators in respect of briefing, consultation, flight documentation and other meteorological information needed by them (ref. ICAO Annex 3, 2.3) is normally required. Operators should give at least 3 hours notice before the expected time of departure.

AIP - CAYMAN ISLANDS GEN 3.5-3

6. Aircraft reports

TO BE DEVELOPED

AIP - CAYMAN ISLANDS GEN 3.6-1

GEN 3.6 SEARCH AND RESCUE

1. Responsible service

1.1 The Search and Rescue service in the Cayman Islands is provided by the Cayman Islands Government, in collaboration with the National Emergency Operations Centre (**NECO**), the newly formed Cayman Islands Coast Guard(**CICG**) and the National Hurricane Response Committee: Emergency Support Team(**EST**) 9 Search and Rescue Operations, chaired by the Chief Fire Officer.

An aircraft incident requiring search and rescue operations be it on land or sea will be declared a Major Incident, whereby the National Emergency Operations Centre (**NEOC**) will be activated mobilizing relevant resources and facilities (**EST 9**, Health Services(**HSA,Red Cross, CERT Teams, RCIPS** etc.)

When **SAR** operations are needed, a rescue Co-ordination Center is established through which communications and activation of the following agencies occur, the **NEOC** will be operated out of the Government Administration Building (GAB).

The addresses for all partners involved are as follows:

National Emergency Operations Centre(NEOC)

1st Floor GAB Room 1038 133 Elgin Avenue Grand Cayman, Cayman Islands Cayman Islands

Chief Coordinator of SAR Operations

1st Floor GAB Room 1038 133 Elgin Avenue Grand Cayman, Cayman Islands Cayman Islands

Cayman Islands Fire Service

148 Owen Roberts Drive P.O. Box 1804, Ky1-1102 George Town, Grand Cayman Tel: 345 949 2499

Cavman Islands Coast Guard

Hirst Road, Newlands Bodden Town, Grand Cayman George Town, Grand Cayman Tel: 345 649 7710

Search and Rescue service within the Cayman Islands TMA is also provided by the Kingston Rescue Coordination Center (RCC) in Jamaica, in collaboration with the Civil Aviation Authority of the Cayman Islands and the NEOC.

The address of the Kingston Rescue Co-ordination Center is as follows:

MRCC KINGSTON

HMJS Cagway Port Royal. Kingston, Jamaica TEL: (876) 967 8193,

FAX: (876) 967 8278, Email: odojdfcg@gmail.com AFS: MKJKYCYX

The service is provided in accordance with the provisions contained in ICAO Annex 12 — Search and Rescue.


2. Area of responsibility

The National Emergency Operations Centre(NEOC) Emergency Support Team(EST)9- Search and Rescue(SAR) Operations is the primary response agency for SAR Operations within Cayman Islands TMA.

Cayman Islands Coast Guard (CICG)

CICG has responsibility for the coordination of all open / deep water search and rescue operations in the Cayman Islands and surrounding waters. The remit of the **CICG** goes as far as 200 miles to the west of Grand Cayman, 75 North of the Sister Islands, 100 miles East of the Sister Islands and 100 miles South.

CIVIL AVIATION AUTHORITY 02 DEC 2020 AMDT 03/2020



Cayman Islands Fire Service (CIFS)

CIFS is the primary point of contact in regards to the land based search and rescue (USAR) capabilities and work in collaboration with both EST 9, CIR and CICG. With access to predetermined inland grid search maps, CIFS will be equipped to quickly action and carryout structured search operations deploying multiple teams at once if needed.

In addition to land based search and rescue, CIFS also has capability to support water based search and rescue operations. With the mandated Rescue Launch docked at Runway 26 at ORIA and another at the ready at the Fire Station at CKIA, they have SAR responsibility for 1000 metres off of the runway; CIFS also has a thirty (30) foot RIB SAR vessel responsible for SAR up to two (2) nautical miles off shore in Grand Cayman. CIFS also has at its disposal 3 wave runners with the remit of up to one (1) nautical mile off shore in Grand Cayman.

3. Types of service

Details of related rescue units that are available in the Cayman Islands are given in Table 3.6.3.

Name	Facilities	Remarks
Cayman Islands Fire Service	Rescue launch (MWCR)	MRG 300 capacity
	Rescue launch(MWCB)	MRG 125 Capacity
	3-Wave Runners(MWCR)	Intercoastal shallow Rescue Craft
	1-Jamie A 30' RIB(MWCR)	
Mosquito Research and Control	2- S2RT	SRG
Unit		
Royal Cayman Islands Police	Patrol Vessel	LRG
	EC-135 Helicopter	MRG

Table 3.6.3 Search and Rescue Units

The Cayman Islands Coast Guard (CICG) have the following assets deployable for SAR.

Cayman Guardian, 65'	M/V M Luke 38' Intercept
Vessel: Range At Cruise Speed 465 NM.	Vessel Range at Cruise Speed, 400 NM.
Wave Height 8 FT.	Wave Height, 8ft.
Max Wind 40 MPH.	Max Wind, 35 MPH.
Crew 6	Crew, 4.

GEN 3.6-3 AIP - CAYMAN ISLANDS

Cayman Defender, 38'	Typhoon 25' General Purpose Patrol Rib.
Vessel: Range at Cruise Speed 190 NM.	Range at Cruise, 100 NM.
Wave Height 8FT.	Wave Height, 5ft
Max Winds 35MPH.	Crew, 2.
Crew, 4.	
Niven D. 38' Intercept	
Vessel. Range at Cruise Speed, 450 NM.	Wave Runners:
Wave Height, 8ft.	Intercoastal patrol, shallow rescue craft.
Max Wind, 35 MPH.	
Crew, 4. Engine	

4. SAR agreements

In addition, various organizations are also available for search and rescue missions, when required. They include:

- The United States Seventh Coast Guard Centers in Miami, Florida and San Juan, Puerto Rico;
- The United States Navy in Guantanamo Bay, Cuba;
 Ships at sea.

5. Conditions of availability

TO BE DEVELOPED

AIP-CAYMAN ISLANDS GEN 3.6-5

6. Procedures and signals used

- 6.1 Procedures and signals used by aircraft
- 6.1.1 Procedures for pilots-in-command observing an accident or intercepting a distress call and/or message are outlined in ICAO Annex 12, Chapter 5.
- 6.1.2 Ditching reports requested by aircraft about to ditch are given in accordance with the provisions in ICAO Doc 7605 PANS-MET.
- 6.2 Communications
- 6.2.1 Transmission and reception of distress messages within the Cayman Islands TMA are handled in accordance with ICAO Annex 10, Volume II, Chapter 5, paragraph 5.3.
- 6.2.2 For communications during search and rescue operations, the codes and abbreviations published in ICAO *Abbreviations and Codes* (Doc 8400) are used.
- 6.2.3 The frequency 121.5 MHz is guarded continuously during the hours of service at Owen Roberts and Brac Towers.
- 6.3 Search and rescue signals
- 6.3.1 The search and rescue signals to be used are those prescribed in ICAO Annex 12, Chapter 5, paragraph 5.10.

Ground/air visual signal codes for use by survivors

No.	Message	Code symbol
1	Require assistance	V
2	Require medical assistance	X
3	No or negative	N
4	Yes or affirmative	Y
5	Proceeding in this direction	↑

Instructions for use:

- 1. Make signals not less than 8 FT (2.5 M).
- 2. Take care to lay out signals exactly as shown.
- 3. Provide as much color contrast as possible between signals and background.
- Make every effort to attract attention by other means such as radio, flares, smoke and reflected light.

AIP-CAYMAN ISLANDS GEN 3.6-6

INTENTIONALLY LEFT BLANK

AIP - CAYMAN ISLANDS GEN 4.1-1

GEN 4. CHARGES FOR AERODROMES AND AIR NAVIGATION SERVICES GEN 4.1 AERODROME CHARGES

1. Landing of aircraft

1.1 Maximum permissible take-off weight allowed as specified under the regulations of the State in which the aircraft is registered. Landing Fees for all international flights operating at the Owen Roberts International Airport are as follows:

Aircraft weight (lbs.)	Charges in CI (\$)
Not exceeding 4 000	10.00
Exceeding 4 000 but not exceeding 6 000	15.00
Exceeding 6 000 but not exceeding 8 000	25.00
Exceeding 8 000 but not exceeding 10 000	30.00
Exceeding 10 000	30.00 plus 1.75 per 1 000 lbs. or part thereof in excess of
	10 000 lbs.

1.2 Surcharges

- a) An additional 25% of the landing charge is levied for each landing made between 1600 and 2100 UTC (Peak Period Charge).
- b) An additional 50% of the landing charge is levied for each landing made between 0000 and 1200 UTC (Night Surcharge).

1.3 Exemption

- a) Landing Fees for all domestic flights operating at the Owen Roberts International Airport are waived.
- b) Landing Fees for all domestic and international flights operating at the Charles Kirkconnell International Airport are waived.

2. Parking of aircraft

2.1 Parking of aircraft

The first hour is free.	
Aircraft weight (lbs.)	Charges in CI (\$) per 24 hours
Not exceeding 10 000	5.00
Exceeding 10 000 but not exceeding 30 000	10.00
Exceeding 30 000 but not exceeding 60 000	15.00
Exceeding 60 000 but not exceeding 90 000	20.00
Exceeding 90 000 but not exceeding 120 000	30.00
Exceeding 120 000 but not exceeding 180 000	50.00
Exceeding 180 000 but not exceeding 240 000	70.00
Exceeding 240 000 but not exceeding 300 000	120.00
Exceeding 300 000 but not exceeding 360 000	170.00
Exceeding 360 000 but not exceeding 420 000	220.00
Exceeding 420 000 but not exceeding 480 000	270.00
Exceeding 480 000 but not exceeding 540 000	320.00
Exceeding 540 000 but not exceeding 600 000	370.00
Exceeding 600 000	420.00

2.2-Exemption

a) Parking Fees for all domestic and international flights operating at the Charles Kirkconnell International Airport are waived.

AIP - CAYMAN ISLANDS GEN 4.1-2

3. Passenger service

3.1 Departure *Tax*

Each passenger departing to a foreign country at an international aerodrome is charged CI\$30.00.

3.1.1 Exemptions

- children under the age of 12 yrs;
- a diplomat;
- a transit passenger; and
- a person exempted by the Chief Executive Officer of the Cayman Islands Airports Authority.

3.2 Passenger Facility Charge

Each carrier departing on an international flight is charged CI\$13.00 per passenger.

3.2.1 Exemptions

- children under the age of 2 yrs
- Diplomatic aircraft
- Test flights
- Emergency landings
- Training flights approved by the Chief Executive Officer of the Cayman Islands Airports Authority.

3.3 Airport Development Fee

Each carrier departing on an international flight shall be charged CI \$15.00 per passenger.

3.3.1 Exemptions

- -Children under the age of 2 years
- Airline crew on duty

4. Security

4.1 Security Tax

Each carrier departing on an international and domestic flight is charged CI\$ 10.50 per passenger.

4.1.1 Exemptions

- children under the age of 12 yrs;
- a diplomat;
- a person exempted by the Chief Executive Officer of the Cayman Islands Airports Authority.

5. Noise related items

Nil.

AIP - CAYMAN ISLANDS GEN 4.1-3

6. Other

6.1 Terminal Charge

Each carrier departing on an international flight is charged CI\$ 5.00 per passenger.

Exemptions

- -Children under the age of 2 years.
- Airline crew on duty

Additionally, aircraft operating between the hours of:

- a) 0200 1200 UTC at Owen Roberts International are charged CI\$181.00 per hour.
- b) 0000 1200 UTC at Charles Kirkconnell International are charged CI\$83.00 per hour.

7. Exemptions and reductions

Exemptions

- a) Diplomatic aircraft
- b) Test flights
- c) Emergency landings
- d) Training flights approved by the Chief Executive Officer of the Cayman Islands Airports Authority.

Reductions

a) In the case of an aircraft, the weight of which does not exceed 10 000 lbs., used exclusively for private, pleasure or domestic purposes and remaining in the Cayman Islands continuously for a period of at least thirty days, the owner or operator thereof may opt to pay in lieu a parking fee of \$75.00 on the last day of every such period.

8. Methods of payment

Landing and parking charges levied at daily rates are payable at the time the aerodrome is used or, or in the case of regular users, on demand at the end of each calendar month in respect of charges accruing during the month.

The owner and user of an aircraft are jointly and severally responsible for payment of the charge. Notification of the charge will be made monthly by the Cayman Islands Airport Authority, by forwarding an invoice. Payment is due 30 days after the date of the invoice. If payment is not made by that day (or if the payment day falls on a Saturday, Sunday or holiday, then by the following weekday), the user/owner is bound to pay interest of 1.25 % per month on overdue payments commencing on the day payment of the charge was due.

If payments are not made,

- a) collection can be done by distress,
- b) permission to fly to or from the Cayman Islands territory can be denied, and
- c) permission already granted can be withdrawn.

AIP - CAYMAN ISLANDS GEN 4.14

INTENTIONALLY LEFT BLANK

AIP - CAYMAN ISLANDS GEN 42-1

4.2 AIR NAVIGATION SERVICES CHARGES

1. Approach control

- 1.1 Users of OWEN ROBERTS/International and CHARLES KIRKCONNELL/International aerodromes will be charged for the services rendered by the ATC units of the above-mentioned aerodromes.
- 1.2 The charges will be collected by the aerodrome authorities, in addition to the landing fees.
- 1.3 The calculation of the charges will be made on the basis of the landing fees charged for use of these aerodromes.

2. Air navigation facility charges

A charge for the use of navigation aids, including communications, is levied on each aircraft arriving from a foreign country, in accordance with the following, and is payable upon landing.

Category	Charges CI(\$)	
General Aviation	5.00	
Commercial		
1 to 31 landings	20.00	
32 to 64 landings	15.00	
65 or more	10.00	

3. Exemptions and reductions

The following categories of flights shall be exempted from payment of air navigation facility charges:

- a) test flights made at the request of the Civil Aviation Authority of the Cayman Islands;
- b) technical check flights made by aircraft engaged in commercial aviation, with no remuneration being received for passengers and goods, if such be on board;
- c) flights made for search and rescue purposes;
- d) technical return flights, i.e. take-off with forced return to the aerodrome of departure due to technical disturbances, adverse weather conditions, and the like:
- e) aircraft owned by the Civil Aviation Authority of the Cayman Islands;
- f) Cayman Islands military aircraft;
- g) Foreign military aircraft and aircraft used solely for the transportation of the representatives of foreign States or of United Nations personnel; and
- h) aircraft owned by foreign States as signed to Police and Customs Authorities and navigation aid inspection.

It is a condition for obtaining the exemption mentioned under a), b) and c) that prior notification be made to the Chief Executive Officer of the Cayman Islands Airports Authority.

4. Methods of payment

Air navigation facility charges levied are payable at the time the aerodrome is used or, or in the case of regular users, on demand at the end of each calendar month in respect of charges accruing during the month.

The owner and user of an aircraft are jointly and severally responsible for payment of the charge. Notific ation of the charge will be made monthly by the Cayman Islands Airports Authority, by forwarding an invoice. Payment is due 30 days after the date of the invoice. If payment is not made by that day (or if the payment day falls on a Saturday, Sunday or holiday, then by the following weekday), the user/owner is bound to pay interest of 1.25 % per month on overdue payments commencing on the day payment of the charge was due.

If payments are not made,

- a) collection can be done by distress,
- b) permission to fly to or from the Cayman Islands territory can be denied, and
- c) permission already granted can be withdrawn.